



Lemon Lance

Neutral Disinfectant And Detergent

Disinfectant, Fungicide, Mildewstat, Virucide*

ACTIVE INGREDIENTS: Didecyl Dimethyl Ammonium Chloride.

Alkyl (50% C14, 40% C12, 10% C16) Dimethyl Benzyl Ammonium Chloride. OTHER INGREDIENTS: TOTAL:

KEEP OUT OF REACH OF CHILDREN

See back panel of label for additional precautionary

EPA Reg. No. 10324-154-65239 EPA Est. No. 8325-PA-01

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.







Net Contents: 4 x 1 Gallons (Total: 4 Gallons)

Distributed By:

NOBLE CHEMICAL. INC.

2209 Old Philadelphia Pike, Lancaster, PA 17602 FOR CUSTOMER SERVICE CALL: 1-888-256-6400

FOR CUSTOMER SERVICE CALL: 1-888-256-6400

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER. Corrosive. Causes irreversible eye damage and skin

burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters and shrimp.

Hospitals, medical and dental offices and clinics, healthcare facilities, nursing homes, day care centers and nurseries, kindergartens, and preschools, convenience stores, retail and 3. Treated surfaces must remain wet for 10 minutes. wholesale establishments, institutional facilities, laboratories, 4. Wipe dry with a clean cloth or allow to air dry. Rinsing of 1. Pre-clean heavily soiled areas. factories, business and office buildings, public restrooms, hotels and motels. Schools, colleges, churches, athletic facilities and locker rooms, exercise facilities, gymnasiums. For use on: Counters, sinks bathroom, shower stalls, shower doors and curtains, bathtubs and glazed tiles, toilets, urinals, tables, chairs, desks, workstations, washable walls, cabinets, painted surfaces, glazed ceramic, glazed porcelain, plated or stainless steel, aluminum, laminated surfaces. Non-dulling formula eliminates the time and labor normally required for rinsing floors. DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health utes at 2 oz. per gal. of water and 5% soil on hard, non-porous with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV). surfaces: Enterobacter cloacae, Escherichia coli, Escherichia coli O111:H8, Enterococcus faecalis, Klebsiella pneumoniae, SPECIAL INSTRUCTIONS FOR CLEANING AND DECONruginosa, Tetracycline Resistant Pseudomonas aeruginosa, ES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Pseudomonas cepacia, Salmonella enterica, Shigella flexneri, Personal Protection: Specific barrier protection items to be Associated Methicillin Resistant) (CA-MRSA), Staphylococ- disposable latex gloves, gowns, masks and eye protection. cus aureus (Methicillin Resistant) (MRSA), Staphylococcus Cleaning Procedure: Blood and other body fluids containing

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Avian Influenza A H3N2 Virus, Avian Influenza A H5N1 Virus, Coronavirus (SARS-associated), Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex Virus Type 1, Herpes Simplex Virus Type 2, Human Coronavirus, Human Immunodeficiency Virus Type 1 (HIV 1), Influenza A (H1N1) Virus, Respiratory Syncytial Virus.

enterocolitica.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 2 oz. per gal. of water and 5% soil on hard, non-porous surfaces: Candida albicans, Trichophyton mentagrophytes (Athlete's foot fungus) (a cause of Ringworm). MILDEWSTATIC PERFORMANCE: This product controls the more often if new growth appears. following mold in 10 minutes at 2 oz. per gal. of water on hard, non-porous surfaces: Aspergillus niger.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner TANT DIRECTIONS inconsistent with its labeling.

Before using this product, food products and packaging materi als must be removed from the room or carefully protected. This product is not for use on medical device surfaces.

HOSPITAL/HEALTH CARE/MEDICAL/NON-MEDICAL FOR USE AS A ONE-STEP, GENERAL HOSPITAL DISINFEC-TANT. FUNGICIDE. VIRUCIDE*:

- 1. Pre-clean heavily soiled areas.
- Apply use solution of 2 oz. of this product per gal. of water to disinfect hard, non-porous surfaces with a sponge, brush, This product is for use on hard, non-porous surfaces in: cloth, mop, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device. For spray applications. spray 6-8 inches from surface. Do not breathe spray. ROOMS. LOCKER ROOMS AND OTHER LARGE,

 - floors is not necessary unless they are to be waxed or pol- 2. Apply use solution of 2 oz. of this product per gal. of
 - Prepare a fresh solution daily or when visibly dirty.

*KILLS HIV. HBV AND HCV ON PRE-CLEANED HARD, NON- 3. Scrub using a deck brush or other coarse material as necessary. POROUS SURFACES/OBJECTS PREVIOUSLY SOILED 4. Rinse surfaces thoroughly and let air dry. WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or Care Institutions) AND NON-MEDICAL FACILITIES body fluids can be associated with the potential for transmission (Schools): This product kills the following bacteria in 10 min-

Listeria monocytogenes, Proteus vulgaris, Pseudomonas ae- TAMINATION AGAINST HIV-1, HBV and HCV ON SURFAC-

Staphylococcus aureus, Staphylococcus aureus (Community worn when handling items soiled with blood or body fluids are

epidermidis (Antibiotic resistant), Streptococcus pneumoniae HIV-1, HBV & HCV must be thoroughly cleaned from hard, non-(Penicillin Resistant). Streptococcus pyogenes, Enterococcus faecalis (Vancomycin Resistant) (VRE), Staphylococcus Disposal of Infectious Materials: Blood and other body fluaureus (Vancomycin Intermediate Resistant) (VISA), Yersinia ids. cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal

> Contact Time: Allow hard, non-porous surfaces to remain wet for 10 minutes for all organisms.

TO CONTROL MOLD/MILDEW: To Control Mold and Mildew (Aspergillus niger) and the odors caused by them when applied to hard, non-porous surfaces. Pre-clean heavily soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water. Apply use solution to hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or

RESTROOM/BATHROOM NON-ACID TOILET BOWL AND URINAL DISINFEC-

Remove heavy soil prior to disinfection.

From a Concentrate: Add 2 oz. of this product directly into the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet brush, cloth, or sponge. Allow solution to stand for 10 minutes and flush.

From a Use Solution: Empty water out of toilet bowl or urinal and apply 2 oz. of this product per gal. of water to exposed surfaces, including under the rim with a toilet brush, cloth, or sponge, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Brush or swab thoroughly, then allow solution to stand for 10 minutes and flush.

OPEN AREAS WITH FLOOR DRAINS:

- water to floors, walls and ceilings making sure not to over spray. To disinfect, all hard, non-porous surfaces must remain wet for 10 minutes.

5. Prepare a fresh solution daily or when visibly dirty.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for re-

cycling if available or puncture and dispose of in a sanitary

landfill, or by incineration.