




CYCLONE FloorCare









A Premium Clean Without the Premium Price



CYCLONE Floor Care

Tough, Long-Lasting Floor Maintenance Pads

Aggressive



TYPE 31 Aqua Burnishing UHS

A UHS Pad that lightly polishes softer floor finishes. This pad is thick and soft. Ideal for top dressing to a reflective gloss. Use with machines



TYPE 52 · Blue Velvet UHS Soft

Removes black marks without removing the finish. Achieves a higher gloss level in heavy traffic areas. The UHS pad will yield more time between re-coatings. Use with machines up to 3000 RPM.



TYPE 36 • Pink Burnishing Eraser

This UHS Pad is designed to restore finish and improve gloss on harder floor surfaces. Removes marks and scuffs quickly. Excellent durability and minimal finish removal. Use with machines up to 3000 RPM.



TYPE 42 • Beige Poly Thermal UHS

Designed to stand up to the high heat and strength required with propane burnishing. This pad produces a very high gloss finish. Performs well on soft to medium surfaces. Use with machines up to



TYPE 33 • Natural Blend Light

A controlled blend of polyester and natural hair fibers makes this a versatile UHS pad. The lubricating effect of natural hair produces the wet look with soft finishes, while providing strength and durability. Use with machines up to 3000 RPM.



TYPE 35 • Natural Hair Blend Medium

This is an aggressive burnishing pad that combines a heavy blend of natural hair with the proper amount of synthetic fiber. Best suited for medium to hard finishes with speeds up to 3000 RPM.



TYPE 37 • Natural Hair Blend Heavy

This is the most aggressive burnishing pad available. The ideal combination of natural hair and synthetic fiber to provide a wet-look shine. Best suited for hard finishes with speeds up to 3000 RPM.



PE 45 • Peach Burnishing HS Auto Scrub

An aggressive open weave pad that is soft and thick. Designed to work with all types of floor finishes. It allows wax dust to be absorbed up inside the pad and not be spread around the floor surface. Can be used as an ideal Auto Scrubber Pad, daily HS work or spray buffing up to 1500 RPM.

34

53

Color

White

Tan

Red

Blue

Green

Brown

Black

Midnight Blu

Maroon

RPM Range

1000-3000

1000-3000


1000-3000

1000-3000

1000-3000

1000-3000

1000-1500



Blue - 626 Green 655



Brown - 631 Black - 672

Use with



Utility Cleaning Pads & Holder

Light-Duty, Medium-Duty & Heavy-Duty Pads

Light-Duty White for cleaning and buffing windows and ceilings. Ideal for reaching corners while floor buffing

Medium-Duty Blue or Green for general purpose cleaning and scrubbing of baseboards, floors and equipment

Heavy-Duty Brown or Black is very aggressive for removing finish build-ups and other tough floor applications

Swivel Joint Holder features a hook & loop design for positive traction. The 180° swivel joint allows for reaching difficult areas. Use with any standard threaded handle.

All pads are designed to be used with a standard Hook & Loop Holder or by hand.

RPM Range

350-800

350-800

350-800

175-300

175-300

175-300

175-300

175-300

175-300

Utility Pads are 4-1/2" x 10" x 1"

•

TYPE 41 · White Polishing

This popular extra fine pad is formulated for polishing clean, dry floors. A fine water mist is used to produce a high gloss wet look. This thick pad is ideal for polishing soft waves on wood floors. Use with 350 - 800 RPM machines.

ACS Cleaning Products manufactures a complete line of Floor Maintenance Pads for stripping, buffing, cleaning, polishing and high-speed burnish

ing. Our floor pads are formulated with the proper amount of non-woven polyester, nylon fibers and abrasive grains to achieve maximum product performance. The bonding process of these fibers blended together with our special resins and adhesives make these floor pads tough, durable and

All conventional and UHS pads are 1" nominal thickness. Our stripping pads are 7/8" thick and our Emerald Hy-Pro is 5/8". Floor pads are available in 1"

diameter increments from 10" to 32". We also offer the special size pads under 10" including 6-1/2", 7-3/4", 9" and 9-1/2". Center holes are 3" nominal.



The perfect pad for light cleaning and dry buffing. Removes scuffs and black heel marks while producing a high gloss shine. Use with 350 – 800 RPM machines.

TYPE 51 Red Buffing

Restores gloss while removing scuff marks and dirt on medium traffic areas. Can be used dry or spray buffing to produce a sparkling shine. Ideal for automatic scrubbing. Use with 350 - 800

TYPE 53° Blue Cleaner

This pad is designed for wet scrubbing or medium-duty spray cleaning. Removes heavy dirt and scuff marks on most floor surfaces. This pad will remove the top layer of floor finish. Use with 175 - 300 RPM machines.

TYPE 55 Green Scrubber

Our toughest duty, most aggressive scrubbing pad for heavily soiled areas. Best when used for wet scrubbing or light stripping. Very durable and long lasting. Use with 175 - 300 RPM machines.

TYPE 71 Brown Strip

A very strong pad for wet or dry stripping applications. Quickly removes wax, dirt and old finish leaving surface ready for immediate recoating. Use with 175 – 300 RPM machines.

TYPE 72° Black Strip

Our most popular stripping pad designed for heavy-duty wet stripping. Very aggressive texture to remove wax, dirt and any finish. Tough, durable and built to perform. Use with 175 – 300 RPM

TYPE 75° Midnight Blue Super Strip

Highly abrasive and tear resistant with heavy duty stripping power. Unique fiber blend for long lasting durability. Open weave design allows for flow through without build up and loading. Pads are 5/8" thick. Use with 175 - 300 RPM machines

TYPE 73 Emerald Hy-Pro Strip

Maximum abrasive content, tear resistant and long wearing. Wide open mesh construction allows solutions to flow through without loading and build up. Highly aggressive, 5/8" thick is the toughest of them all. Use with 175 - 300 RPM machines.

TYPE 47° Maroon Thin Line Conditioning/Strip

This general purpose conditioning pad is designed for stripping, cleaning and general surface conditioning. Best suited for between coats finishing of wood floor surfaces. Thin Line Pads are 3/8" thick and are packed 10 per case. Use with 175-300 RPM machines.
























Most **Aggressive**

10 pads/case for 7-3/4". 5 pads/case for 24" and less, and 2 pads/case for 25" and over.



















Agua Blue Velvet Pink Beige

Polyester

Color

Center Holes are 3" Nominal



CYCLONE FloorCare

Steel Wool Floor Pads




Ribbon Style Floor Pads are heavy-duty and long lasting. The continuous ribbon construction is ideal for cleaning, scrubbing, polishing or finishing almost any type of floor.



Needled Style Floor Pads are ideal for polishing and buffing uneven floors. These pads are built tougher and stronger. They will not tear, shred or fray at the edges.

CYCLONE-D™ Diamond Pads



Sand Screen Disks

ACS Sandscreen Disks are manufactured with water-proof resins and silicon carbide abrasive on both sides making them highly consistent and longest-lasting.

















