robot g coupe

VEGETABLE PREPARATION MACHINES



RESTAURANTS - INSTITUTIONS - CATERERS

MULTICUT PACK OF 16 DISCS FRUIT AND VEGETABLES IN ALL SHAPES AND SIZES

With evolving nutritional requirements, Chefs in the mass catering sector are looking for solutions to serve more fruit and raw vegetables.

The aim is to improve the nutritional quality of meals served in school canteens, company cafeterias and healthcare institutions.

It is a great opportunity for Chefs to provide creative and original cuts to present fresh fruit and vegetables in a more attractive way.

Robot-Coupe is innovating with its latest launch, the MultiCut Pack, with 16 discs included.



CL 55 WORKSTATION COMPLETE VEG. PREP. SOLUTION







To collect the vegetables directly from the ejection outlet. Possibility to put 2 containers to transport vegetables or accessories.



Can be used to transport attachments.



Up to 645 lbs

MULTICUT PACK OF 16 DISCS INCLUDED



CL 55 Pusher Feed-Head



PUSHER FEED-HEAD



IMPROVED ERGONOMICS





New handle design requires less effort from operator

On CL 60 only

To ensure optimum user comfort, the handle can be fixed at three different heights.

EXTRA PRECISE



Cylindrical hopper (Ø 58 mm) ensuring a uniform cut for long items.

EXTRA LARGE



The XL hopper can accommodate a whole cabbage or up to 15 tomatoes. Full-moon Feed-Head of 238 cm² and 4.4 quarts capacity.

RUGGED CONSTRUCTION

100% stainless steel except for the aluminium feed-head base.

PRODUCTIVITY

Stainless-steel feed tray for continuous input.



The machine is extremely easy to move around, on account of its compactness, its

two wheels and its handle

Stainless steel container for cutting tools

* The Pusher Feed-Head is also perfect for special precision cuts (e.g. carrot tagliatelle or cucumber julienne).

0



The machine can easily be moved around on

RUGGED CONSTRUCTION

Stainless-steel motor base and mobile stand

EASY CLEANING

All parts which come into contact with foodstuffs can easily be removed for cleaning, thus maintaining the highest standards of hygiene.



SAFETY SYSTEM

It is impossible to gain access to the sharp cutting blades while they are moving.



1 speed: 425 rpm single-phase

EASY TO HANDLE

its wheeled stand.



Tilting of the feed heads in line with the motor base.

SPEED

2 speeds: 425 rpm & 850 rpm three-phase

CL 60 WORKSTATION Up to 3 970 lbs of vegetables per hour

robot, roupe

ADJUSTABLE FOOT



- Place all accessories on the cart!
- 16 discs and 8 kits
- Container GN 1x1 for kichenware
- 3 Feed-Heads

MULTICUT PACK OF 16 DISCS INCLUDED AUTOMATIC PUSHER 4 TUBES MASHED POTATO **ERGO MOBILE** FEED-HEAD FEED-HEAD **FEED-HEAD** KIT 3 mm (1/8") CART Specially For all vegetables Ideal for Specially intended for intended for long mashing large in bulk (tomatoes, bulky vegetables vegetables, like Can accommodate amounts of onions, (e.g. cabbage cucumbers or three full-size fresh potato. potatoes...) or celeriac) zucchini. gastronorm pans



• Diamters of the tubes: 2 tubes of 50 mm (2 inches) and 2 tubes of 70 mm (2.8 inches).



- and biaised cut.
- This head is equipped with a hole and pusher Ø 75 mm (2.9 inches), one insert and pusher Ø 50 mm (2 inches).

Vegetable Preparation Machines

Floor models

The Products Advantages:

Processing capacity:

- Large hopper feed head (36 ⁵⁷/64" in²) for large vegetables processing and an automatic feed head for continuous feeding.
- Powerful motor which guarantees large outputs (up to 3970 lbs)

Wide range of cut:

- Complete selection of 52 discs for slicing, grating, julienne, dicing and making French Fries.
- 4 different type of feed heads to guarantee a wide variety of tasks.

Simple and sturdy design:

- Mainly stainless steel for easy cleaning and a longer life.
- Parts in food contact are easy to dismantle and clean.



Number of covers:

up to 3 000.



Target:

For Hospitals & Institutions, Hotels, C P U's and Food Manufacturer's.



In brief:

• Hight performance, sturdy, easy to clean and maintain, simple to use and versatile. Quite simply incomparable.



	Electrical data			
	Speed (Rpm)	Power (HP)	Intensity (Amp.)	Voltage
CL 55	425	2.5	9.5	120V/60 Hz / 1
CL 60	425 & 850	3	6.5	208-240/60 Hz / 3



robot of coupe°

Robot Coupe® U.S.A., Inc.

264 South Perkins Street, Ridgeland, MS 391*57* Ph.: 1-800-824-1646 (601) 898-8411 Fax: (601) 898-9134 email: info@robotcoupeusa.com

www.robotcoupeusa.com

DISTRIBUTOR



We reserve the right to alter at any time without notice the technical specifications of this appliance.None of the information contained in this document is of a contractual nature. Modifications may be made at any time.

© All rights reserved for all countries by: ROBOT COUPE S.N.C.