



CREATIVE
CARRYOUTS®

OctaView®
Black Base/Clear Lid
Hinged Containers



We contain your
GOOD REPUTATION

**Elegant black bases paired
with clear, hinged lids...**

- Elevates merchandising and allows for premium pricing
- Provides superior food presentation
- Drives impulse sales
- Enhances dining experience and generates repeat business
- Provides clear view of contents reducing order errors at point-of-pickup



OctaView®

Polystyrene (PS)

- LeakGuard seal helps reduce leaks and extend shelf life
- Textured base and juice well elevate food to extend freshness
- Compartmented lids and bases keep portions contained and prevent food from migrating

Secure stacking ensures stability of stacked containers in a display or take-out bag.

Material	PS 
Container Sizes	4.5" - 12" (11.4-30.5 cm)
Microwaveable	No
Approximate Temp. Range	14° to 203° F



OctaView®

Polystyrene (PS)



Container Description	4.5" Medium	4.5" Deep	6" Medium	6" Deep	7.5" Medium Low Dome Lid	7.5" Medium
Item Number	866611-PS94	866612-PS94	862613-PS94	862611-PS94	865624-PS94	865611-PS94
Approximate Flush Fill Capacity (fl oz)	7	9	16	21	24	24
Dimensions (LxWxH)	4.6"x4.6"x2.4"	4.6"x4.6"x3.2"	6.3"x6.3"x2.4"	6.3"x6.3"x3.2"	7.5"x7.5"x2.1"	7.5"x7.5"x2.4"
Sleeve/Case	300/300	300/300	200/200	200/200	100/100	100/100
Ti/Hi	8/6	8/6	6/6	6/6	12/5	12/5
Case Cube (cu.ft/cu.m)	1.9/0.06	1.9/0.06	2.1/0.06	2.1/0.06	1.5/0.04	1.5/0.04
Case Weight (lbs/kg)	10.9/4.9	10.9/5.0	12.8/5.8	12.4/5.6	9.6/4.3	9.4/4.2
Case (inch/cm)						
Length	18.9/48.1	18.9/48.1	18.4/46.8	18.4/46.8	19.2/48.7	19.2/48.7
Width	11.9/30.3	11.9/30.3	14.7/37.3	14.7/37.3	8.1/20.5	8.1/20.5
Height	14.8/37.5	14.8/37.5	13.4/34.0	13.4/34.0	16.8/42.5	16.8/42.5



OctaView®(PS) 6" Deep, 7.5" Deep and 9" Deep containers are also available in Perfect Pak®!

- 50% less than standard OctaView® case count
- Cases under 21" in height accommodate storage constraints and fit retail shelves
- Retail-ready, attractive outer-case packaging



OctaView®
Polystyrene (PS)



Container Description	7.5" Deep	9" Shallow	9" Deep	9" Deep 3-Comp	12" Deep
Item Number	865612-PS94	864611-PS94	864612-PS94	864628-PS94	863611-PS94
Approximate Flush Fill Capacity (fl oz)	32	38	45	8/8/24	80
Dimensions (LxWxH)	7.5"X7.5"X 3.2"	9.1"X9.1"X 2.0"	9.1"X9.1"X3.2"	9.1"X9.1"X 2.4"	12.0"X12.1"X3.1"
Sleeve/Case	100/100	100/100	100/100	100/100	100/100
Ti/Hi	12/5	10/4	10/4	10/4	4/3
Case Cube (cu.ft/cu.m)	1.5/0.04	1.9/0.05	1.9/0.05	1.9/0.05	3.5/0.10
Case Weight (lbs/kg)	9.4/4.3	12.9/5.9	14.3/6.5	14.3/6.5	24.1/11.0
Case (inch/cm) Length Width Height	19.2/48.7 8.1/20.5 16.8/42.5	17.3/44.0 9.7/24.6 20.0/50.8	17.3/44.0 9.7/24.6 20.0/50.8	17.3/44.0 9.7/24.6 20.0/50.8	25.8/65.6 17.8/45.2 13.1/33.3

OctaView®

Polyethylene Terephthalate (PET)

- Excellent barrier properties extend product shelf life and increase profits
- LeakGuard seal helps reduce leaks and extend shelf life
- Textured base and juice well elevate food to extend freshness
- Secure stacking feature facilitates stability of stacked containers in a display or take-out bag



Material	PET 
Container Sizes	6" – 9" (15.2 -22.9 cm)
Microwaveable	No
Approximate Temp. Range	-22° to 151° F

OctaView®

Polyethylene
Terephthalate (PET)



Container Description	6" Deep	7.5" Medium	7.5" Deep	9" Shallow	9" Deep
Item Number	862044-AP94	865045-AP94	865044-AP94	864057-AP94	864056-AP94
Approximate Flush Fill Capacity (fl oz)	21	24	32	38	45
Dimensions (LxWxH)	6.3"X 6.3"X3.2"	7.5"X7.5"X2.4"	7.5"X7.5"X3.2"	9.1"X9.1"X2.0"	9.1"X9.1"X3.2"
Sleeve/Case	200/200	100/100	100/100	100/100	100/100
Ti/Hi	6/6	12/5	12/5	10/4	10/4
Case Cube (cu.ft/cu.m)	2.1/0.06	1.5/0.04	1.5/0.04	1.9/0.05	1.9/0.05
Case Weight (lbs/kg)	12.5/5.7	10.9/4.9	11.0/5.0	14.4/6.5	16.1/7.3
Case (inch/cm)					
Length	18.4/46.8	19.2/48.7	19.2/48.7	17.3/44.0	17.3/44.0
Width	14.7/37.3	8.1/20.5	8.1/20.5	9.7/24.6	9.7/24.6
Height	13.4/34.0	16.8/42.5	16.8/42.5	20.0/50.8	20.0/50.8

OctaView®

Modified Polystyrene (PM)



- Modified Polystyrene (PM): Special PS blend makes containers suitable for hot foods or applications requiring microwave reheating
- LeakGuard seal helps reduce leaks and extends shelf life
- Secures stacking feature facilitates stability of stacked containers in a display or take-out bag
- Anti-fog lids resist fog in hot applications

OctaView PM containers feature an anti-fog, TearAway lid which adds two-piece convenience to a hinged container.

Material	PM 
Container Sizes	9" (22.9 cm)
Microwarmable	Yes
Approximate Temp. Range	32° to 225° F

OctaView®
Modified
Polystyrene (PM)



Container Description	9" Deep 3-Comp	9" Deep	9" OctaBowl®
Item Number	864036-PM94	864035-PM94	864039-PM94
Approximate Flush Fill Capacity (fl oz)	8/8/24	45	51
Dimensions (LxWxH)	9.1"x9.1"x 2.4"	9.1"x9.1"x 3.2"	9.2"x9.2"x 2.5"
Sleeve/Case	100/100	100/100	100/100
Ti/Hi	10/4	10/4	10/4
Case Cube (cu.ft/cu.m)	1.9/0.05	1.9/0.05	2.1/0.06
Case Weight (lbs/kg)	14.2/6.4	14.7/6.6	14.4/6.5
Case (inch/cm) Length Width Height	17.3/44.0 9.7/24.6 20.0/50.8	17.3/44.0 9.7/24.6 20.0/50.8	18.3/46.5 9.7/24.6 20.0/50.8

84%
of consumers
purchase meal replacement
solutions!

"84% of U.S. consumers now report that they buy retailer meal solutions at least once per month — up from 79% in 2012."

Technomic
March 2016

OctaView® Supreme

Polypropylene (PP)

- From freezer to microwave to table flexibility
- Vented lids that prevent steam from building up in hot applications
- Tear-Away lid adds two-piece convenience to a hinged container
- LeakGuard seal helps reduce leaks and extend shelf life
- Compartmented lids and bases keep portions contained and prevent food from migrating

EZ Close feature on OctaView® Supreme Containers allows for a fast, secure closure with minimal effort



Material	PP 
Container Sizes	6" - 9" (15.2 -22.9 cm)
Microwaveable	Yes
Aproximate Temp. Range	-4° to 230° F

OctaView® Supreme

Polypropylene (PP)



Container Description	6" Medium Supreme	6" Deep Supreme	7.5" Medium Supreme	7.5" Deep Supreme	9" Deep Low Dome Supreme	9" Deep Supreme	9" Deep 3-Comp Supreme
Item Number	806012-PP94	806011-PP94	807012-PP94	807011-PP94	809013-PP94	809011-PP94	809014-PP94
Approximate Flush Fill Capacity (fl oz)	17	22	27	34	51	51	7/8/24
Dimensions (LxWxH)	6.3"X 6.3"X2.4"	6.3"X 6.3"X3.1"	7.5"X7.5"X2.4"	7.5"X7.5"X3.2"	9.1"X9.1"X2.4"	9.1"X9.1"X3.1"	9.1"X9.1"X2.4"
Sleeve/Case	200/200	200/200	100/100	100/100	50/100	50/100	50/100
Ti/Hi	3/6	3/6	3/11	3/11	6/4	6/4	6/4
Case Cube (cu.ft/cu.m)	3.5/0.1	3.5/0.1	2.3/0.06	2.3/0.06	3.6/0.1	3.6/0.1	3.6/0.1
Case Weight (lbs/kg)	15.8/7.2	15.8/7.2	11.5/5.2	11.5/5.2	15.8/7.2	16.6/7.5	16.4/7.5
Case (inch/cm)							
Length	25.4/64.6	25.4/64.6	29.7/75.4	29.7/75.4	19.7/50.0	19.7/50.0	19.7/50.0
Width	16.7/42.4	16.7/42.4	16.3/41.3	16.3/41.3	16.6/42.1	16.6/42.1	16.6/42.1
Height	14.1/35.9	14.1/35.9	8.1/20.6	8.1/20.6	19.3/49.0	19.3/49.0	19.3/49.0

OctaView® Select

Polypropylene (PP)



- From freezer to microwave to table flexibility
- Anti-fog lids resist fog in hot applications
- Vented lids that prevent steam from building up in hot applications
- Tear-Away lid adds two-piece convenience to a hinged container
- LeakGuard seal helps reduce leaks and extend shelf life

Material	PP 
Container Sizes	6" - 9" (15.2 -22.9 cm)
Microwaveable	Yes
Approximate Temp. Range	-4° to 230° F

OctaView® Select

Polypropylene (PP)



Container Description	6" Medium Select	6" Deep Select	7.5" Medium Select	9" Deep Low Dome Lid Select
Item Number	806015-PP94	806016-PP94	807015-PP94	809015-PP94
Approximate Flush Fill Capacity (fl oz)	17	22	26	52
Dimensions (LxWxH)	6.3"x6.3"x2.3"	6.3"x6.3"x3.1"	7.5"x7.5"x2.3"	9.1"x9.1"x2.3"
Sleeve/Case	100/200	100/200	50/100	50/100
Ti/Hi	8/3	8/3	6/6	6/5
Case Cube (cu.ft/cu.m)	3.4/0.1	3.4/0.1	2.3/0.07	3.3/0.09
Case Weight (lbs/kg)	13.0/5.9	13.0/5.9	9.3/4.2	13.4/6.1
Case (inch/cm)				
Length	16.6/42.1	16.6/42.1	16.3/41.3	19.7/50.0
Width	13.8/35.1	13.8/35.1	15.6/39.5	15.2/38.6
Height	25.8/65.4	25.8/65.4	15.8/40.0	19.3/49.0

30% increase

in customers choosing prepared food items

"An increasing number of consumers are opting for prepared food items, which are up 30% in the past five years."

NPD Market Research Group, September 2014



CREATIVE
CARRYOUTS®

OctaView®
Black Base/Clear Lid
Hinged Containers



Brand Name	OctaView®	OctaView®/ OctaBowl®	OctaView®	OctaView® Supreme	OctaView® Select
Resin/Material	PS	PM	PET	PP	PP
Approximate Temperature Range	14° to 203° F	32° to 225° F	-22° to 151° F	-4° to 230° F	-4° to 230° F
Unique, octagonal design	■	■	■	■	■
Black bottom clear lid	■	■	■	■	■
One-piece hinge design	■	■	■	■	■
Leak Guard perimeter seal	■	■	■	■	■
Off-set opening tabs	■	■	■	■	■
Registered stacking platform	■	■	■	■	■
Pebbled/Textured Base	■	■	■	■	■
Juice Well	■	■	■	■	■
Microwarmable	□	■	□	□	□
Microwavable	□	□	□	■	■
Smooth sidewalls	■	■	■	□	□
Ribbed sidewalls	□	□	□	■	■
Tear-away hinge	□	■	□	■	■
Lid closure = Single-push EZ close	□	□	□	■	□
Vented lid	□	□	□	■	■
Anti-fog Lid	□	■	□	□	■

Customization Options:

Base depths, compartmented bases, lid heights, lid embossing
(note: minimum order quantities apply)



For additional information,
contact your Dart representative
or call (800) 248-5960

www.dartcontainer.com

DART CONTAINER CORPORATION
The Industry Standard of Excellence

Ph: (800) 248-5960 • Fax: (517) 244-2117
Email: cpaadmin@dart.biz • www.dartcontainer.com