SAVE-T® PRODUCTS MEGA-PRO™& POLAR-PRO™ SWINGING DOORS







- Quality, High Impact Designs
- Heavy-Duty Galvanized and Stainless Steel Hardware
- Exclusive Spring Tension and Alignment Adjustments





MEGA-PRO™

Swinging Doors

FOR DOORWAY OPENINGS



60" to 120" wide Up to 120" high

Interior Applications Only

Mega-Pro[™] Swinging Doors are light industrial impact doors for doorway openings up to 10' wide. This revolutionary door has a spring return and swings on an even plane.

Panel Materials

Panels are available in either standard grade clear or USDA clear, polar PVC, in thicknesses up to ⁹/₃₂". *Welded-on Impact Plates are optional.*



Torsion Springs



(2)

All springs are made of chrome vanadium and you have a choice of light, medium or heavy settings.

Constructed of heavy-duty galvanized steel swinging arms and mounting brackets, this hardware is located at the top of the unit only, away from normal traffic patterns. This bracket design can accommodate any doorway application.



Swinging Doors

FOR DOORWAY OPENINGS 34" to 60" wide Up to 96" high



Interior Applications Only In-Jamb or Surface Mount

For Walk-In Doors on Freezers, Coolers and Personnel Doors,

Curtron Polar-Pro[™] Swinging Doors allow fast and easy access to temperature sensitive areas. The unique and revolutionary "swinging hardware" design allows the door to open in and out on an even plane, and is the only hardware that maintains a tight seal along the top of the door opening and around the hinges. This **stainless steel** hardware system is also the only fully adjustable system for in-jamb alignment, as well as, the opening and closing speed of each panel. This unique door design allows the main cooler or freezer door to be closed without interference.





WWWWW

All hardware is constructed of stainless steel with a lifetime warranty against corrosion. The spring tension and panel alignment are adjustments exclusive to the Polar-Pro. The single compression spring is made of chrome vanadium.

Panel Materials

Panels are available in either standard grade PVC or USDA polar grade, and comes in 2 thickness, .080" and .120'.' Although clear material is standard on all models, there are 4 colors available.



Mounting

The Polar-Pro mounting system can fit **all** cooler and freezer door constructions.





OTHER QUALITY CURTRON PRODUCTS



AIR-PRO[™] Air Doors, also called air curtains, create an invisible curtain of air, with a velocity powerful enough to stop flying insects while preventing air from escaping a temperature controlled room. All of the Air-Pro Series major components are made of stainless steel.

SERVICE-PRO[™] Service Doors are the economical solution for separating your kitchen noise and heat from customers while allowing fast easy access for personnel. Door panels are available in 8 different series. Options include impact plates, lower hinge guards, surface mounted locks and perimeter gasketing.





"M" SERIES Strip Doors have loop style PVC strips and aluminum universal mounting hardware. Easy to install, easy to clean and virtually maintenance free. PVC strips are available in 4", 6" & 8" wide and in Polar or Standard grades. Replacement strips are available in 3 & 6 packs.

PROTECTO® Rack Covers

These strong, durable covers keep food fresh and clean. Covers are available in transparent and 10 colors. The **Breathable Mesh Covers** allow moisture and heat to dissipate quickly, while preventing flying insect contamination. **INSUL-COVERS** [®] transform open racks into inexpensive ______ insulated cabinets.

All covers are made with four zippers to allow easy access to the trays. Velcro[®] is an option. Custom sizes are available.



CURTRONIZER® Series (Patented) Economy strip door for walk-in coolers & freezers with cut & punched strips and one piece poly mounting hardware



PROTECTO[®] RACK COVERS

Curto Products a division of TMI, LLC 800-833-5005

Distributed by:

Copyright © 2007 Curtron Products

Catalog Number SPSD-01-07

Curtron Products • 5350 Campbells Run Road • Pittsburgh. PA 15205-9738 • 800-833-5005 • 412-787-9750 Fax: 412-787-3665 • Web Site: www.curtronproducts.com • E-Mail: info@curtronproducts.com