



Extensive Hot/Cold/Display/Dispenser Offering
Exceptional Performance
Excellent Availability



Delfield



Drop-In product solutions

Delfield's large variety of drop-in products is the best on the market. All models are ready for quick shipment or can be customized with available options to suit your needs. Whether for planned projects or unforeseen replacement needs, Delfield is ready to provide a solution. Each model can be ordered as individual component or as part of Mark7 Custom Fabrication, Concepts or Shelley Serving Systems.





Safety and Sanitation:

UL and NSF - All Delfield Drop-in products are UL approved and NSF certified. Which means you can count on safe, consistent construction and performance every time.



Convenience:

Delfield Drop-in products are easy to install into any new or existing counter. A press fit flange gasket comes pre-installed making the units ready to drop-in immediately.



Quality:

Delfield Drop-in products have an unmatched level of quality. The units are reliably built by the best in the industry and come standard with a 90-day labor and 1-year parts warranty.



Construction:

Delfield Drop-in products are constructed with stainless steel tops and interiors. Cold units are insulated with high-density polyurethane foam and hot units are insulated with fiberglass.

Refrigeration lines are secured to the liner with stainless steel spot clips and thermal transfer compound is applied to improve heat transferred cool the food product better.




Options

Drop-in units can be customized to suit your needs! Everything from custom counter protectors to custom pan sizes are available. Let us know what your requirements are and we'll provide the solution.

Options for Drop-Ins

- Additional adaptor bars or plates
- Single and double service sneezeguards
- Custom counter protectors
- Remote refrigeration or relocate the compressor
- Add/omit drains, manifolds and valves
- Custom sizes
- 220V/50C electrical
- Mullion fan assembly
- Extended warranties





Flexishield™ Food Shields

Delfield's new food shield line is designed to protect without getting in the way. The mostly glass design keeps food safe while enhancing the merchandising effect allowing your customers to get full view of what's important, the food! The new FlexiShield™ models give maximum menu and serving flexibility by allowing adjustment to three different glass positions. With several additional double and single tier, double and single service, sneeze guard and full front models also available to meet your needs.



Drop-In Products



N8100B - Mechanically Cooled Cold Pans

Delfield's standard cold pans are built to suit your needs. Superb operation and construction combine to give you what you need, safe product temperatures.

- Integral "V" shaped pan rest: no thumb screws or clips
- Insulated with high density polyurethane foam
- Pre-installed press fit flange gasket for easy installation
- Adapter bars for 12"x20" pans included
- Radial versions available for curved applications




N8000 - Ice Cooled Cold Pans


- Integral "V" shaped pan rest: no thumb screws or clips
- Insulated with high density polyurethane foam
- Pre-installed press fit flange gasket for easy installation
- Adapter bars for 12"x20" pans included
- 1" drain provided
- Perforated false bottom is standard
- Radial versions available for curved applications




8100-EF - LiquiTec® Cold Pans LiquiTec® is better than the average cold pan!

Traditional cold pans are inefficient due to lack of contact between the refrigeration lines and the interior liner side. LiquiTec® takes what is usually on about 1/16" contact per wrap and magnifies it to 100% contact on all 5 sides of the interior liner. An eutectic fluid is used to completely surround the interior liner of the pan. The fluid is harmless and sealed in by a stainless steel exterior liner. The result is







Better Merchandising, Better Ergonomics, Better Labor Efficiency

- Stainless steel louver provided
- Insulated with high density polyurethane foam

and still maintain NSF-7 certified temperatures.


- Pre-installed press fit flange gasket for easy installation
- Adapter bars for 12"x20" pans included
- 1" drain provided

N8100-FA - Forced-Air Cold Pans

The N8100-FA cold pans are ideal for merchandising your product. The flush mount air-screen design keeps your product cool and in view of your customers.

- Merchandise product in flush mount pans
- Air screen over pans for NSF-7 certified temperatures
- Air curtain assembly is easily removable without tools for cleaning
- Insulated with high density polyurethane foam
- Pre-installed pres fit flange gasket for easy installation
- 1" drain provided
- HFC-404A refrigerant
- Stainless steel louver is provided
- Adapter bars for 12"x20" pans included





N8200G - Granite Cold Slab

Delfield frost tops are ideal for product presentation while maintaining product temperatures. Whether the granite or stainless steel tops are desired, these units will help merchandise your quick turn products.

- "Absolute Black" granite top
- Insulated with high density polyurethane foam
- Drain trough around perimeter of top with 3/4" stainless steel drain
- Stainless steel louver provided
- HFC-404a refrigerant



N8200 - Stainless Steel Frost Top

- 1" raised top with slope to drain trough
- Insulated with high density polyurethane foam
- Drain trough around perimeter of top with 1/2" stainless steel drain
- Stainless steel louver provided
- Pre-installed press fit flange gasket for easy installation
- HFC-404a refrigerant
- On/Off switch



Drop-In Products






At the flip of a switch it's two units in one! The N8600 Hot and Cold Combination models provide the needed functionality of both hot and cold operations without having to add additional space to your operation. The unit may be utilized in different operations throughout the day or week as the menu dictates. When flexibility is a concern, this is the unit for the job.

- 2 units in one, hot and cold operation
- Insulated with high density polyurethane foam
- Pre-installed press fit flange gasket for easy installation
- Flush mount design for hot operation or recess 2" for cold
- Single tank well with stainless steel immersion heater(s)
- HFC-404A refrigerant
- Remote control box with thermostat for hot operation, indicator light and a 3-way power switch for operation selection
- Thermostat for cold operation is mounted next to the compressor





Delfield offers both individual well and single tank models to suit your operation. Heavy duty construction and easy installation make a nice combination for any counter.

- Flush mount individual 12"x20" wells
- Fiberglass insulation
- 1/2" stainless steel drain with manifold and gate valve
- Preinstalled press fit flange gasket for easy installation
- Remote panel with individual temperature controls for each well
- Utilize for wet or dry operation
- Radial versions available for curved applications



N8800 - Open Well Hot Pans

- Fiberglass insulation
- 1/2" stainless steel drain
- Pre-installed press fit flange gasket for easy installation
- Remote thermostat control for mounting in counter
- Single tank with 12"x20" openings
- Utilize for wet or dry operations

N225 / N227 - Freezers

Delfield's N225 and N227 models make adding ice cream to any menu possible.

- Insulated with high density polyurethane foam
- Pre-installed pres fit flange gasket for easy installation
- Thermostat temperature control



F5 - Serview Display Cases

The F5 Serview display case can be used to merchandise everything from drinks to desserts. Whether in the back counter for full service operation or front counter for self-service operation, the product is in your customer's sight.

- Insulated with high density polyurethane foam
- Thermostat temperature control
- Sliding glass doors
- See-thru back, mirrored back and pass-thru models available
- Interior light with exterior mounted On/Off switch



200/300 - Water and Ice Stations

- Glass and pitcher fillers
- Ice chests
- Combination units











Shelleymatic - Dispensers

- Several dish, cup and tray dispenser models available
- Dish dispensers available in heated or non-heated





Technical Specifications

Mechanically Cooled	Cutout Size	Forced-Air Cold Pan	Cutout Size	Stainless Steel Frost Top	Cutout Size	Individually Heated	Cutout Size
Cold Pan		N8131-FA	30.25" X 25.5"	N8231	30.75" X 25"	Narrow Food Wells	0
N8118B	17" X 25"	N8144-FA	43" X 25.5"	N8245	44.63" X 25"	N8746N	44.62" X 15"
N8130B	29.75 X25"	N8157-FA	55.75" X 25.5"	N8259	58.5" X 25"	N8768N	66.5" X 15"
N8143B	42.50 X 25"	N8169-FA	68.5" X 25.5"	N8273	72.38" X 25"	N8746ND	44.62" X 15"
N8156B	55.25 X 25"	N8182-FA	81.25" X 25.5"	N8287	86.25" X 25"	N8768ND	66.5" X 15"
N8169B	68" X 25"	LiquiTec Mechanically	Cutout Size	Combination Hot/Cold	Cutout Size	Single Tank Heated	Cutout Size
N8181B	80.75" X 25"	Cooled Cold Pan	Catout 5/20	Food Well	catout 5/20	Food Well	1
Mechanically Cooled Narrow Cold Pan	Cutout Size	8118-EF	17" X 25"	N8630	29.75 X25"	N8831	30.75" X 25"
		8132-EF	30.75" X 25"	N8643	42.50 X 25"	N8845	44.63" X 25"
N8146NB	45.75" X 17"	8145-EF	44.25" X 25"	N8656	55.25 X 25"	N8859	58.5" X 25"
N8168NB	66.5" 17"	8159-EF	57.87" X 25"	N8669	68" X 25"	N8873	72.38" X 25"
Ice Cooled Cold Pan	Cutout Size	8172-EF	71.5" X 25"	N8681	80.75" X 25"	N8887	86.25" X 25"
N8018	17" X 25"	8186-EF	85" X 25"	Individually Heated	Cutout Size	Ice Cream Freezers with	Cutout Size
N8030	29.75 X25"	LiquiTec Mechanically	Cutout Size	Food Wells		S/S Lid	ı
N8043	42.50 X 25"	Cooled Narrow Cold Pan	catout 5120	N8717-D	16.88" X 25"	N225	25.75" X 14.62"
N8056	55.25 X 25"	8148-EFN	46.88" X 17.25"	N8731-D	30.75" X 25"	N227	25.75" X 28"
N8069	68" X 25"	8169-EFN	68.5" X 17.25"	N8745-D	44.62" X 25"	Ice Cream Freezers with Lexan Lid	Cutout Size
N8081	80.75" X 25"	8191-EFN	90" X 17.25"	N8759-D	58.5" X 25"	225L	25.75" X 14.62"
Ice Cooled Narrow	Cutout Size	Granite Frost Top	Cutout Size	N8773-D	72.37" 25"	·	25.75" X 28"
Cold Pan	1	N8231G	30.75" X 25"	N8787-D	86.25" X 25"	200/300 Ice & Water	
N8046N	45.75" X 17"	N8245G	44.63" X 25"			Stations	Cutout Size
N8068N	66.5" 17"	N8259G	58.5" X 25"	See specs for details		r details	
		N8273G	72.38" X 25"			F5 Display Cases	Cutout Size
				•		See specs for details	
						ShelleyMatic	Cutout Size

If you require any further information please contact your local Delfield or Manitowoc Foodservice Rep. www.delfield.com • www.manitowocfoodservice.com

Manitowoc Foodservice is a global company dedicated to bringing value to foodservice operators by equipping them with highly individualized real-world answers that enhance menus, service, profits, and efficiency.

To learn how Manitowoc Foodservice and its leading brands can equip you, visit our global web site at www.manitowocfoodservice.com then find the regional or local resources available to you.



See specs for details