




Portable Solutions

*Cafeterias • Buffets • Convenience Stores
Supermarkets & Delis • Restaurants & Cafés
Clubs & Bars • Catering • Concessions*



GRSSR with 3" or 5" risers *pg. 4*



GRSSR20-DL77516 with standard Night Sky Simulated Stone base *pg. 4*



GRS-72-I with accessory food pans *pg. 6*



GR2S-30 with *Designer* Hunter Green inset panels and accessory pizza pans *pg. 8*



GRSS-3618 in optional Bermuda Sand Simulated Stone *pg. 9*



HBG-2418 *pg. 10*



GRHW-1SGDS (Signage not included) *pg. 12*



SRBW-1 *pg. 13*



GRBW-72 Two units side-by-side *pg. 15*



Portable Lamp Warmer

The portable powdercoated Hatco Lamp Warmer has a specially designed stand that keeps food holding pans above the countertop and provides insulation to extend holding times.

- Features two vented lamps with heavy-duty sockets
- Adjustable stand from 24 $\frac{3}{8}$ " to 30 $\frac{3}{8}$ " in height
- Cord and plug with in-line power switch
- Optional *Designer Colors*: Warm Red, Black, Gray Granite, White Granite, Navy Blue, Hunter Green, Antique Copper. Non-standard colors are non-returnable
- Holds food pans, wire trivets and fry ribbons

LW-2 with optional *Designer Color* and accessory food pans



LAMP WARMER

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
LW-2	12 $\frac{3}{8}$ " x 21 $\frac{1}{4}$ " x 24 $\frac{3}{8}$ "-30 $\frac{3}{8}$ "	120	500	NEMA 5-15P	18 lbs.

All Lamp Warmer Models Feature:

Bulbs: Two 250 watt clear bulbs, uncoated.

Cord Location: Back of adjustable stand near top.

Lamp Distance: 10 $\frac{1}{2}$ "-16 $\frac{1}{2}$ " space from bottom of lamp to base.

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Gray Granite Standard –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

ACCESSORIES (available for purchase at any time)

5PLTBOX	Five Pleat Hardcoated French Fry Box Ribbon – 19 $\frac{1}{4}$ "W x 9 $\frac{1}{4}$ "D x 2"H
8PLTBAG	Eight Pleat Hardcoated French Fry Bag Ribbon – 19 $\frac{1}{4}$ "W x 9 $\frac{1}{4}$ "D x 2"H
FHS4BOX	Four Pleat Hardcoated Fry Box Ribbon – 10 $\frac{3}{4}$ "W x 5"D x 1 $\frac{3}{4}$ "H
FHS5BAG	Five Pleat Hardcoated Fry Bag Ribbon – 11 $\frac{1}{4}$ "W x 5"D x 1 $\frac{1}{8}$ "H
FHS5BOX	Five Pleat Hardcoated Fry Box Ribbon – 17 $\frac{1}{2}$ "W x 5"D x 1 $\frac{7}{8}$ "H
FHS7BAG	Seven Pleat Hardcoated Fry Bag Ribbon – 17 $\frac{7}{8}$ "W x 5"D x 1 $\frac{1}{8}$ "H
WHITE-CTD-120	250 Watt Clear Coated Bulb (unit accommodates two Bulbs)
RED-UCTD-120	250 Watt Red Uncoated Bulb (unit accommodates two Bulbs)
RED-CTD-120	250 Watt Red Coated Bulb (unit accommodates two Bulbs)

FOOD PANS AND TRIVETS – PAGE 17
COLORS AND FINISHES – PAGE 18



5PLTBOX




FHS4BOX



FHS5BOX



FHS7BAG



Portable Round Heated Shelves

The contemporary-styled Round Heated Shelf keeps hot food at serving temperatures. Ideal when used for wrapped product or for use behind a sneeze guard with unwrapped food like pizza, biscuits, muffins and cookies.

- Unit is designed for countertop or built-in use – see cutout dimensions shown below
- Uniform heat distribution with blanket-type element
- Thermostatically-controlled heat base
- Available in three sizes to hold standard 15", 17" or 19" diameter pans
- Optional stainless steel trim



GRSR-17 with optional *Designer* Color and accessory pan

GRSR-19 with optional *Designer* Color and accessory pizza pan

PORTABLE ROUND HEATED SHELVES

Model	Dimensions Dia. x H	Max. Pan Size	Voltage Single Phase	Watts	Plug	Ship Weight
GRSR-15	16 $\frac{3}{4}$ " x 3 $\frac{3}{8}$ "	15" Dia.	120	250	NEMA 5-15P	17 lbs.
GRSR-17	18 $\frac{3}{4}$ " x 3 $\frac{3}{8}$ "	17" Dia.	120	325	NEMA 5-15P	19 lbs.
GRSR-19	20 $\frac{3}{4}$ " x 3 $\frac{3}{8}$ "	19" Dia.	120	400	NEMA 5-15P	21 lbs.

All Round Heated Shelves Feature:
Cord Location: Underneath.

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Black Standard –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper
SS SIDE	Stainless Steel Side

FOOD PANS AND TRIVETS – PAGE 17
COLORS AND FINISHES – PAGE 18

PORTABLE ROUND HEATED SHELVES COUNTERTOP CUTOUT DIMENSIONS (For Built-in Applications)

Model	Minimum Diameter	Maximum Diameter	Below Counter
GRSR-15	16 $\frac{1}{8}$ "	16 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "
GRSR-17	18 $\frac{1}{8}$ "	18 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "
GRSR-19	20 $\frac{1}{8}$ "	20 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "



ALL HATCO BLANKET HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.



Glo-Ray® Portable Round Heated Simulated Stone Shelves

Hatco's Glo-Ray® Portable Heated Simulated Stone Shelves are made of foodsafe materials and are offered in three colors. These unique warmers will safely hold food hot while blending in with your décor and are ideal for buffet lines or as hors d'oeuvre displays.

- Blanket-type foil element creates uniform heat across the entire Simulated Stone surface
- Features a lighted rocker switch and thermostatically-controlled heated base to help hold your food hot and delicious
- Optional 3" or 5" Risers available in stainless steel (standard) or *Designer Colors*
- Models with Simulated Stone are Swanstone®

GRSSR-16 in Night Sky Simulated Stone with optional 3" Riser in *Designer Color*



GRSSR-18 in Night Sky Simulated Stone with optional 5" Riser in *Designer Color*



GRSSR-20 in Night Sky Simulated Stone



GRSSR20-DL77516 in Night Sky Simulated Stone with standard Black Base and Lamp



PORTABLE ROUND HEATED SIMULATED STONE SHELVES



Model	Dimensions	Voltage	Watts	Amps	Plug	Ship Weight
	Dia. x H	Single Phase				
GRSSR-16	16" x 2½"	120	250	2.1	NEMA 5-15P	14 lbs.
GRSSR-18	18" x 2½"	120	325	2.7	NEMA 5-15P	16 lbs.
GRSSR-20	20" x 2½"	120	400	3.3	NEMA 5-15P	18 lbs.

All Portable Round Heated Simulated Stone Shelf Models Feature:

Temperature Range: 100°-200°F.

Cord: 72" cord, located on back side on base.

PORTABLE ROUND HEATED SIMULATED STONE SHELVES WITH DECORATIVE LAMP

Model	Dimensions	Voltage	Watts	Amps	Plug	Ship Weight
	W x D x H	Single Phase				
GRSSR16-DL77516 	16" x 20½" x 36"	120	500	4.2	NEMA 5-15P	27 lbs.
GRSSR18-DL77516 	18" x 21½" x 36"	120	575	4.8	NEMA 5-15P	30 lbs.
GRSSR20-DL77516	20" x 22½" x 36"	120	650	5.4	NEMA 5-15P	32 lbs.

All Portable Round Heated Simulated Stone Shelf with Decorative Lamp Models Feature:

Bulb: One, 250 watt clear bulb, uncoated.

Temperature Range: 100°-200°F.

Cord: 72" cord, located on back side on base.

Lamp Distance: 16¼" space from bottom of shade to base.

OPTIONS AND ACCESSORIES – PAGE 5





Two GRSSR20-DL77516 models in optional Granite Gray Simulated Stone

OPTIONS (available at time of purchase only)

120H-CTD-R	120V, 375W Red Coated Bulb (High Watt Models only) in lieu of 120V Uncoated White Bulb
120H-UCTD-R	120V, 375W Red Uncoated Bulb (High Watt Models only) in lieu of 120V Uncoated White Bulb
120H-CTD-W	120V, 375W Clear Coated Bulb (High Watt Models only) in lieu of 120V Uncoated White Bulb
120H-UCTD-W	120V, 375W Clear Uncoated Bulb (High Watt Models only) in lieu of 120V Uncoated White Bulb

Designer Color Base – GRSSRxx-DL77516 Models and GRSSR only – Non-standard colors are non-returnable – Black Standard –

RED	Warm Red	GRAY	Gray Granite	NAVY	Navy Blue	COPPER	Antique Copper
BLACK	Black	WHITE	White Granite	GREEN	Hunter Green		

Simulated Stone Color – Non-standard colors are non-returnable – Night Sky Standard –

SS-GGRAN	Gray Granite	SS-BSAND	Bermuda Sand	SS-NSKY	Night Sky
-----------------	--------------	-----------------	--------------	----------------	-----------

3" Risers (not available on the GRSSRxx-DL77516 Models) available in Designer Colors and Stainless Steel (standard) –

Non-standard colors are non-returnable –

3RISER16	GRSSR-16
3RISER18	GRSSR-18
3RISER20	GRSSR-20

5" Risers (not available on the GRSSRxx-DL77516 Models) available in Designer Colors and Stainless Steel (standard) –

Non-standard colors are non-returnable –

5RISER16	GRSSR-16
5RISER18	GRSSR-18
5RISER20	GRSSR-20

ACCESSORIES (available for purchase at any time)

WHITE-CTD-120	250 Watt Clear Coated Bulb (GRSSRxx-DL77516 Models accommodate one Bulb)
RED-UCTD-120	250 Watt Red Uncoated Bulb (GRSSRxx-DL77516 Models accommodate one Bulb)
RED-CTD-120	250 Watt Red Coated Bulb (GRSSRxx-DL77516 Models accommodate one Bulb)

COLORS AND FINISHES – PAGE 18



Glo-Ray® Portable Heated Shelves

Whether you need a heated workspace or extra base heat in a pass-through or buffet area, Hatco's full line of Glo-Ray® Heated Shelf options can help you. Using a blanket heating element for an even temperature, the thermostatically-controlled base safely extends the holding time of your food.

Flexibility, style and quality mark these workhorses of the buffet. Available in a variety of widths and depths to meet your specific needs.

- Uniform heat distribution with a blanket-type element
- Built-in adjustable thermostat controls surface temperature
- Extruded aluminum base with stainless steel top – optional hardcoated aluminum surface
- Accessory 4" legs (standard on 42" and wider models)

- Accessory slant leg kit and pan rail
- Model widths from 18" to 72"
- Model depths: 6", 7¾", 9¾", 12", 13¾", 15½", 15¾", 17½", 19½", 21½", 23½", 25½"
- Optional *Designer* colors: Warm Red, Black, Gray Granite, White Granite, Navy Blue, Hunter Green, Antique Copper – non-standard colors are non-returnable



GRS-30-I in optional *Designer* color with accessory pan rail and food pans

PORTABLE HEATED SHELVES

Model	Dimensions W x H	Voltage Single Phase	Watts	Plugs	Ship Weight
19½" depth I – Standard 19½" depth accommodates 12"W x 20"D steam table pans					
GRS-18-I	18" x 2¼"	120	250	NEMA 5-15P	16 lbs.
GRS-24-I	24" x 2¼"	120	350	NEMA 5-15P	20 lbs.
GRS-30-I	30" x 2¼"	120	450	NEMA 5-15P	25 lbs.
GRS-36-I	36" x 2¼"	120	550	NEMA 5-15P	28 lbs.
GRS-42-I	42" x 5¼"	120	600	NEMA 5-15P	32 lbs.
GRS-48-I	48" x 5¼"	120	700	NEMA 5-15P	36 lbs.
GRS-54-I	54" x 5¼"	120	800	NEMA 5-15P	42 lbs.
GRS-60-I	60" x 5¼"	120	900	NEMA 5-15P	44 lbs.
GRS-66-I	66" x 5¼"	120	1000	NEMA 5-15P	50 lbs.
GRS-72-I	72" x 5¼"	120	1100	NEMA 5-15P	56 lbs.
6" depth A					
GRS-18-A	18" x 2¼"	120	100	NEMA 5-15P	10 lbs.
GRS-24-A	24" x 2¼"	120	125	NEMA 5-15P	12 lbs.
GRS-30-A	30" x 2¼"	120	150	NEMA 5-15P	14 lbs.
GRS-36-A	36" x 2¼"	120	175	NEMA 5-15P	16 lbs.
GRS-42-A	42" x 5¼"	120	225	NEMA 5-15P	19 lbs.
GRS-48-A	48" x 5¼"	120	250	NEMA 5-15P	20 lbs.
GRS-54-A	54" x 5¼"	120	275	NEMA 5-15P	22 lbs.
GRS-60-A	60" x 5¼"	120	300	NEMA 5-15P	24 lbs.
GRS-66-A	66" x 5¼"	120	325	NEMA 5-15P	26 lbs.
GRS-72-A	72" x 5¼"	120	350	NEMA 5-15P	28 lbs.
7¾" depth B					
GRS-18-B	18" x 2¼"	120	100	NEMA 5-15P	10 lbs.
GRS-24-B	24" x 2¼"	120	125	NEMA 5-15P	12 lbs.
GRS-30-B	30" x 2¼"	120	150	NEMA 5-15P	14 lbs.
GRS-36-B	36" x 2¼"	120	175	NEMA 5-15P	16 lbs.
GRS-42-B	42" x 5¼"	120	225	NEMA 5-15P	19 lbs.
GRS-48-B	48" x 5¼"	120	250	NEMA 5-15P	20 lbs.
GRS-54-B	54" x 5¼"	120	275	NEMA 5-15P	22 lbs.
GRS-60-B	60" x 5¼"	120	300	NEMA 5-15P	24 lbs.
GRS-66-B	66" x 5¼"	120	325	NEMA 5-15P	26 lbs.
GRS-72-B	72" x 5¼"	120	350	NEMA 5-15P	28 lbs.

All Portable Heated Shelf Models Feature:

Pan Capacity (12"W x 20"D): GRS-18-I, -24-I = 1-pan.
GRS-30-I, -36-I = 2-pan.
GRS-42-I, -48-I = 3-pan.
GRS-54-I, -60-I = 4-pan.
GRS-66-I, -72-I = 5-pan.

Cord Location: Center of side with switch.

OPTIONS AND ACCESSORIES – PAGE 6

GRS - XX - X		Depth
Glo-Ray	Heated Shelf	I = 19½"
Width of model (inches)		A = 6"
		B = 7¾"
		C = 9¾"
		D = 12"
		E = 13¾"

PORTABLE HEATED SHELVES continued...

Model	Dimensions W x H	Voltage Single Phase	Watts	Plugs	Ship Weight
9¾" depth C					
GRS-18-C	18" x 2¼"	120	125	NEMA 5-15P	10 lbs.
GRS-24-C	24" x 2¼"	120	175	NEMA 5-15P	12 lbs.
GRS-30-C	30" x 2¼"	120	225	NEMA 5-15P	14 lbs.
GRS-36-C	36" x 2¼"	120	275	NEMA 5-15P	16 lbs.
GRS-42-C	42" x 5¼"	120	300	NEMA 5-15P	19 lbs.
GRS-48-C	48" x 5¼"	120	350	NEMA 5-15P	20 lbs.
GRS-54-C	54" x 5¼"	120	400	NEMA 5-15P	22 lbs.
GRS-60-C	60" x 5¼"	120	450	NEMA 5-15P	24 lbs.
GRS-66-C	66" x 5¼"	120	500	NEMA 5-15P	26 lbs.
GRS-72-C	72" x 5¼"	120	550	NEMA 5-15P	28 lbs.
12" depth D					
GRS-18-D	18" x 2¼"	120	200	NEMA 5-15P	12 lbs.
GRS-24-D	24" x 2¼"	120	250	NEMA 5-15P	14 lbs.
GRS-30-D	30" x 2¼"	120	300	NEMA 5-15P	17 lbs.
GRS-36-D	36" x 2¼"	120	350	NEMA 5-15P	20 lbs.
GRS-42-D	42" x 5¼"	120	450	NEMA 5-15P	23 lbs.
GRS-48-D	48" x 5¼"	120	500	NEMA 5-15P	26 lbs.
GRS-54-D	54" x 5¼"	120	550	NEMA 5-15P	29 lbs.
GRS-60-D	60" x 5¼"	120	600	NEMA 5-15P	32 lbs.
GRS-66-D	66" x 5¼"	120	650	NEMA 5-15P	35 lbs.
GRS-72-D	72" x 5¼"	120	700	NEMA 5-15P	37 lbs.
13¾" depth E					
GRS-18-E	18" x 2¼"	120	200	NEMA 5-15P	13 lbs.
GRS-24-E	24" x 2¼"	120	250	NEMA 5-15P	16 lbs.
GRS-30-E	30" x 2¼"	120	300	NEMA 5-15P	19 lbs.
GRS-36-E	36" x 2¼"	120	350	NEMA 5-15P	22 lbs.
GRS-42-E	42" x 5¼"	120	450	NEMA 5-15P	25 lbs.
GRS-48-E	48" x 5¼"	120	500	NEMA 5-15P	28 lbs.
GRS-54-E	54" x 5¼"	120	550	NEMA 5-15P	31 lbs.
GRS-60-E	60" x 5¼"	120	600	NEMA 5-15P	34 lbs.
GRS-66-E	66" x 5¼"	120	650	NEMA 5-15P	37 lbs.
GRS-72-E	72" x 5¼"	120	700	NEMA 5-15P	40 lbs.

ALL GLO-RAY® BLANKET HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.

Glo-Ray® Portable Heated Shelves Continued



GRS-30-I with optional *Designer Color*, with accessory food pans shown below a **GRAH-36** strip heater with optional *Designer Color*, infinite switch and accessory C-leg stand



GRS-60-I

PORTABLE HEATED SHELVES continued...

Model	Dimensions W x H	Voltage Single Phase	Watts	Plugs	Ship Weight
15½" depth F					
GRS-18-F	18" x 2¼"	120	200	NEMA 5-15P	14 lbs.
GRS-24-F	24" x 2¼"	120	250	NEMA 5-15P	17 lbs.
GRS-30-F	30" x 2¼"	120	300	NEMA 5-15P	21 lbs.
GRS-36-F	36" x 2¼"	120	350	NEMA 5-15P	25 lbs.
GRS-42-F	42" x 5¼"	120	450	NEMA 5-15P	29 lbs.
GRS-48-F	48" x 5¼"	120	500	NEMA 5-15P	33 lbs.
GRS-54-F	54" x 5¼"	120	550	NEMA 5-15P	37 lbs.
GRS-60-F	60" x 5¼"	120	600	NEMA 5-15P	40 lbs.
GRS-66-F	66" x 5¼"	120	650	NEMA 5-15P	42 lbs.
GRS-72-F	72" x 5¼"	120	700	NEMA 5-15P	43 lbs.
15¾" depth G					
GRS-18-G	18" x 2¼"	120	225	NEMA 5-15P	14 lbs.
GRS-24-G	24" x 2¼"	120	300	NEMA 5-15P	17 lbs.
GRS-30-G	30" x 2¼"	120	375	NEMA 5-15P	21 lbs.
GRS-36-G	36" x 2¼"	120	450	NEMA 5-15P	25 lbs.
GRS-42-G	42" x 5¼"	120	525	NEMA 5-15P	29 lbs.
GRS-48-G	48" x 5¼"	120	600	NEMA 5-15P	33 lbs.
GRS-54-G	54" x 5¼"	120	675	NEMA 5-15P	37 lbs.
GRS-60-G	60" x 5¼"	120	750	NEMA 5-15P	40 lbs.
GRS-66-G	66" x 5¼"	120	825	NEMA 5-15P	42 lbs.
GRS-72-G	72" x 5¼"	120	900	NEMA 5-15P	43 lbs.
17½" depth H					
GRS-18-H	18" x 2¼"	120	225	NEMA 5-15P	16 lbs.
GRS-24-H	24" x 2¼"	120	300	NEMA 5-15P	20 lbs.
GRS-30-H	30" x 2¼"	120	375	NEMA 5-15P	24 lbs.
GRS-36-H	36" x 2¼"	120	450	NEMA 5-15P	27 lbs.
GRS-42-H	42" x 5¼"	120	525	NEMA 5-15P	31 lbs.
GRS-48-H	48" x 5¼"	120	600	NEMA 5-15P	35 lbs.
GRS-54-H	54" x 5¼"	120	675	NEMA 5-15P	39 lbs.
GRS-60-H	60" x 5¼"	120	750	NEMA 5-15P	43 lbs.
GRS-66-H	66" x 5¼"	120	825	NEMA 5-15P	47 lbs.
GRS-72-H	72" x 5¼"	120	900	NEMA 5-15P	51 lbs.

All Portable Heated Shelf Models Feature:
Cord Location: Center of side with switch.

OPTIONS AND ACCESSORIES – PAGE 7

PORTABLE HEATED SHELVES continued...

Model	Dimensions W x H	Voltage Single Phase	Watts	Plug	Ship Weight
21½" depth J					
GRS-18-J	18" x 2¼"	120	300	NEMA 5-15P	20 lbs.
GRS-24-J	24" x 2¼"	120	375	NEMA 5-15P	26 lbs.
GRS-30-J	30" x 2¼"	120	450	NEMA 5-15P	30 lbs.
GRS-36-J	36" x 2¼"	120	525	NEMA 5-15P	33 lbs.
GRS-42-J	42" x 5¼"	120	675	NEMA 5-15P	35 lbs.
GRS-48-J	48" x 5¼"	120	750	NEMA 5-15P	38 lbs.
GRS-54-J	54" x 5¼"	120	825	NEMA 5-15P	43 lbs.
GRS-60-J	60" x 5¼"	120	900	NEMA 5-15P	48 lbs.
GRS-66-J	66" x 5¼"	120	975	NEMA 5-15P	53 lbs.
GRS-72-J	72" x 5¼"	120	1050	NEMA 5-15P	58 lbs.
23½" depth K					
GRS-18-K	18" x 2¼"	120	325	NEMA 5-15P	20 lbs.
GRS-24-K	24" x 2¼"	120	425	NEMA 5-15P	26 lbs.
GRS-30-K	30" x 2¼"	120	525	NEMA 5-15P	30 lbs.
GRS-36-K	36" x 2¼"	120	625	NEMA 5-15P	33 lbs.
GRS-42-K	42" x 5¼"	120	750	NEMA 5-15P	35 lbs.
GRS-48-K	48" x 5¼"	120	850	NEMA 5-15P	38 lbs.
GRS-54-K	54" x 5¼"	120	950	NEMA 5-15P	43 lbs.
GRS-60-K	60" x 5¼"	120	1050	NEMA 5-15P	48 lbs.
GRS-66-K	66" x 5¼"	120	1150	NEMA 5-15P	53 lbs.
GRS-72-K	72" x 5¼"	120	1250	NEMA 5-15P	58 lbs.
25½" depth L					
GRS-18-L	18" x 2¼"	120	350	NEMA 5-15P	20 lbs.
GRS-24-L	24" x 2¼"	120	475	NEMA 5-15P	26 lbs.
GRS-30-L	30" x 2¼"	120	600	NEMA 5-15P	33 lbs.
GRS-36-L	36" x 2¼"	120	725	NEMA 5-15P	37 lbs.
GRS-42-L	42" x 5¼"	120	825	NEMA 5-15P	43 lbs.
GRS-48-L	48" x 5¼"	120	950	NEMA 5-15P	50 lbs.
GRS-54-L	54" x 5¼"	120	1075	NEMA 5-15P	54 lbs.
GRS-60-L	60" x 5¼"	120	1200	NEMA 5-15P	59 lbs.
GRS-66-L	66" x 5¼"	120	1325	NEMA 5-15P	64 lbs.
GRS-72-L	72" x 5¼"	120	1450	NEMA 5-15P	69 lbs.



ALL GLO-RAY® BLANKET HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.



Glo-Ray® Portable Designer Heated Shelves

Using a blanket heating element for an even temperature, the thermostatically-controlled base safely extends the holding time of your food. Hatco's Designer Portable Heated Shelves can blend into any décor.

- Built-in adjustable thermostatic controls
- Rounded edges and hardcoated aluminum surfaces offer a modern style for front-of-the-house applications
- Model widths from 30¼" to 78¼"
- Optional Dark Gray corner caps (black standard) and Designer Color inset panels available
- 4" legs standard on 42" and wider models

GR2S-30 with optional Designer Hunter Green inset panels and accessory pizza pans



DESIGNER PORTABLE HEATED SHELVES

Model*	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
GR2S-24	30¼" x 27" x 4"	120	350	NEMA 5-15P	32 lbs.
GR2S-30	36¼" x 27" x 4"	120	450	NEMA 5-15P	39 lbs.
GR2S-36	42¼" x 27" x 4"	120	550	NEMA 5-15P	42 lbs.
GR2S-42	48¼" x 27" x 7"	120	600	NEMA 5-15P	51 lbs.
GR2S-48	54¼" x 27" x 7"	120	700	NEMA 5-15P	55 lbs.
GR2S-54	60¼" x 27" x 7"	120	800	NEMA 5-15P	59 lbs.
GR2S-60	66¼" x 27" x 7"	120	900	NEMA 5-15P	64 lbs.
GR2S-66	72¼" x 27" x 7"	120	1000	NEMA 5-15P	68 lbs.
GR2S-72	78¼" x 27" x 7"	120	1100	NEMA 5-15P	74 lbs.

* When no color is specified, color inset panels and corner caps will be Black.

All Designer Portable Heated Shelf Models Feature:

Pan Capacity (12"W x 20"D): GR2S-24 = 1-Pan.

GR2S-30, -36 = 2-Pan.

GR2S-42, -48 = 3-Pan.

GR2S-54, -60 = 4-Pan.

GR2S-66, -72 = 5-Pan.

Usable Heated Shelf Space: Width of unit minus 6¾" x 21¼"D.

Cord Location: Center of side on control side.

ALL GLO-RAY® BLANKET HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.

OPTIONS (available at time of purchase only)

Designer Colors (top surface not painted) – Non-standard colors are non-returnable –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Inset Panel Colors, GR2S Models – Non-standard colors are non-returnable – Black Standard –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Corner Caps, GR2S Models – Non-standard colors are non-returnable – Black Standard –

BLACK	Black Corner Caps
DKGRAY	Dark Gray Corner Caps

Hardcoated Surface (in lieu of stainless steel) on standard 19½" deep GRS Models only –

HC 18-42	GRS-18 through GRS-42
HC 48-72	GRS-48 through GRS-72




ACCESSORIES (available for purchase at any time)

GRS-LEGS	4" Adjustable Legs (GRS Models only – standard on units GRS-42 and larger)
GRS-SLANT	Slant Leg Kit for Models 12" deep or deeper (GRS Models only)

Pan Rail (for 19½"D GRS Models only) –

2 RAIL	2-Pan
3 RAIL	3-Pan
4 RAIL	4-Pan
5 RAIL	5-Pan

FOOD PANS AND TRIVETS – PAGE 17
COLORS AND FINISHES – PAGE 18



GR2S-XX
Glo-Ray ———
Designer ———
Width of Heated Surface (inches)
Heated Shelf

Glo-Ray® Portable Rectangular Heated Simulated Stone Shelves

Match the heat zone to your countertops with Hatco's Glo-Ray® Heated Simulated Stone Shelves. These portable foodsafe shelves come in three Simulated Stone colors and are ideal for buffet lines or as hors d'oeuvre displays. These unique warmers will safely hold food hot while blending in with your décor.

- Hatco Heated Simulated Stone Shelves are made of approved foodsafe materials
- Features a lighted rocker switch and thermostatically-controlled heated base to help hold your food hot and delicious
- Models with Simulated Stone are Swanstone®



GRSS-3618 in optional Bermuda Sand (view of base)



GRSS-3618 in standard Night Sky Simulated Stone

PORTABLE RECTANGULAR HEATED SIMULATED STONE SHELVES

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plugs	Ship Weight
GRSS-2418	24" x 18" x 2½"	120	635	NEMA 5-15P	27 lbs.
GRSS-3018	30" x 18" x 2½"	120	780	NEMA 5-15P	30 lbs.
GRSS-3618	36" x 18" x 2½"	120	930	NEMA 5-15P	35 lbs.
GRSS-4818*	48" x 18" x 6¼"	120	1270	NEMA 5-15P	45 lbs.
GRSS-6018*	60" x 18" x 6¼"	120	1560	NEMA 5-20P	56 lbs.
GRSS-7218*	72" x 18" x 6¼"	120	1860	NEMA 5-20P	68 lbs.

* Height includes standard 4" legs.

All Portable Rectangular Heated Simulated Stone Shelf Models Feature:


Cord Location: Center of side with switch.

OPTIONS (available at time of purchase only)

Simulated Stone Colors – Non-standard colors are non-returnable – Night Sky Standard –

SS-GGRAN	Gray Granite
SS-BSAND	Bermuda Sand
SS-NSKY	Night Sky

COLORS AND FINISHES – PAGE 18





Portable Rectangular Heated Black Glass Shelves

The Hatco Heated Black Glass Shelves have a heated ceramic glass surface to create uniform heat across the entire surface and are made of approved foodsafe materials. Adjustable thermostatic controls allow surface temperature ranging from 100° to 195° F to be controlled easily.

- Shelves are made of approved foodsafe materials
- Equipped with a trim ring that is available in stainless steel (standard) or *Designer Black*
- Lighted On/Off rocker switch
- All units come with a 6' cord and plug



HBG-FS-24 Angled food stop (close-up view), **HBG-TRIM-BLK** and optional *Designer Black* Trim Ring



HBG-2418 with standard stainless steel trim ring

PORTABLE RECTANGULAR HEATED BLACK GLASS SHELVES

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
HBG-2418	24 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ "	120	425	NEMA 5-15P	29 lbs.
HBG-3018	30 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ "	120	525	NEMA 5-15P	33 lbs.
HBG-3618	36 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ "	120	630	NEMA 5-15P	36 lbs.
HBG-4818 ^{•+}	48 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	850	NEMA 5-15P	42 lbs.
HBG-6018 ^{•+}	60 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	1050	NEMA 5-15P	60 lbs.
HBG-7218 ^{•+}	72 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	1260	NEMA 5-15P	68 lbs.

[•] Height includes standard 4" legs.

⁺ Units 48" and larger are constructed of two equal sized pieces of glass which create a seam.

All Portable Rectangular Heated Black Glass Shelf Models Feature:

Cord Location: Center of side with switch.

OPTIONS (available at time of purchase only)

Black Angled Food Stop keeps product on the heat zone –

HBG-FS-24	24"
HBG-FS-30	30"
HBG-FS-36	36"
HBG-FS-48	48"
HBG-FS-60	60"
HBG-FS-72	72"
HBG-TRIM-BLK	<i>Designer Black Powdercoated Trim Ring (Stainless Steel standard)</i>

COLORS AND FINISHES – PAGE 18

H B G - X X X X

Heated Black Glass ——— Depth (inches)
Width (inches)

Portable Heated Black Glass Shelf Modular

Hatco's ceramic glass creates uniform heat across the entire top surface. The new design uses a modular system, so units can be placed side-by-side. This allows for marvelous flexibility in buffet areas.

- Unit's glass surface accommodates one 12" x 20" food pan (no direct food contact)
- Thermostatically controlled with five settings: 130°F, 150°F, 165°F, 185°F and 200°F
- Durable stainless steel housing
- Simple design for easy cleaning and maintenance
- All units come with a 6' cord and plug, located under control side of unit




HGSM-1P

PORTABLE HEATED GLASS SHELF MODULAR

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
HGSM-1P	15 3/4" x 23 5/8" x 2 5/16"	120	300	NEMA 5-15P	16 lbs.

All Portable Heated Glass Modular Shelf Models Feature:
Cord Location: 72" cord located on control side of unit.





Glo-Ray® Mini-Merchandisers

Hatco's convenient Mini-Merchandisers create impulse sales by placing fresh product in front of customers. Using limited amount of valuable counterspace, these flexible warmers come in a variety of shapes, sizes and colors to hold food samples, hors d'oeuvres and packaged product at just the right temperature.

- Ideal for areas with limited counterspace
- Thermostatically-controlled heated base to extend holding times of most foods
- Prefocused infrared top heat directs heat to the outer edges where heat loss is the greatest
- Food stop, 4" food bins standard (GRHW-1SG and -1SGS only)
- Lighted rocker switch for easy On/Off



GRHW-1P with accessory food pan



GRHW-2P with standard 4" legs and accessory food pans

GRHW-1SGS with standard bins



GRHW-1SGDS in standard Black

MINI-MERCHANDISERS

Model	Description	Dimensions W x D x H (includes Sneeze Guard)	Voltage Single Phase	Watts	Plug	Base Dimensions W x D	Ship Weight
Single							
GRHW-1P	Hors d'oeuvres warmer, 2 bulbs	22 ¹ / ₄ " x 19 ¹ / ₈ " x 17 ³ / ₄ "	120	820	NEMA 5-15P	22 ¹ / ₄ " x 13 ³ / ₄ "	35 lbs.
GRHW-2P[▲]	Hors d'oeuvres warmer, 4 bulbs	43 ¹ / ₄ " x 19 ¹ / ₈ " x 20 ³ / ₄ "	120	1640	NEMA 5-15P	43 ¹ / ₄ " x 13 ³ / ₄ "	67 lbs.
GRHW-1SG	Single horizontal shelf, 2 bulbs	22 ¹ / ₄ " x 19 ¹ / ₈ " x 18 ³ / ₈ "	120	820	NEMA 5-15P	22 ¹ / ₄ " x 13 ³ / ₄ "	37 lbs.
GRHW-1SGS	Single slanted shelf, 2 bulbs	22 ¹ / ₄ " x 19 ¹ / ₈ " x 24 ⁷ / ₈ "	120	820	NEMA 5-15P	22 ¹ / ₄ " x 14 ³ / ₈ "	40 lbs.
Dual							
GRHW-1SGD	Dual shelf, 4 bulbs	22 ⁷ / ₈ " x 20 ¹ / ₂ " x 23 ¹ / ₂ "	120	1330	NEMA 5-15P	22 ⁷ / ₈ " x 14 ⁷ / ₈ "	73 lbs.
GRHW-1SGDS	Horizontal & slanted base, 4 bulbs	22 ⁷ / ₈ " x 20 ¹ / ₂ " x 23 ³ / ₈ "	120	1330	NEMA 5-15P	22 ⁷ / ₈ " x 14 ⁷ / ₈ "	73 lbs.

[▲] Canadian Model uses NEMA 5-20P.

All Mini-Merchandise Models Feature:

Included with Merchandiser: Thermostatically-controlled base, sneeze guard, display lights, 1" rubber legs (except GRHW-2P has 4" legs), five 4" bins (GRHW-1SG, -1SGS only), 6' cord and plug.

Cord Location: GRHW-1SGD, -1SGDS: Control side, bottom right.

All Other Models: Base end plate, same side as switch.

OPTIONS (available at time of purchase only)

Designer colors (included on GRHW-1SGD and -1SGDS) – Non-standard colors are non-returnable – Black Standard –

RED Warm Red **BLACK** Black **GRAY** Gray Granite **WHITE** White Granite

NAVY Navy Blue **GREEN** Hunter Green **COPPER** Antique Copper

HAL Halogen Bulb in lieu of standard Display Light (60 Watt)

PANEL Plexi-Glass Side Panels (GRHW-1P, -2P, -1SG only)


1SGD-SLOPE Sloped Front Sign Holder (GRHW-1SGD, -1SGDS only)

ACCESSORIES (available for purchase at any time)

4"LEGS 4" Adjustable Legs (GRHW-1P, -1SG only – standard on GRHW-2P)

FOOD PANS AND TRIVETS – PAGE 17

COLORS AND FINISHES – PAGE 18



ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY METAL SHEATHED HEATING ELEMENTS.

Serv-Rite® Portable Buffet Warmers

The Hatco Serv-Rite® Portable Buffet Warmers are designed to keep prepared foods at optimum serving temperatures without affecting quality. They are perfect for self-serve buffet areas and customer serving points.

- Base is thermostatically controlled with digital temperature indicating display
- SRBW, SRGBW and SRSSBW have a top halogen light. Heat is controlled from a base mounted toggle switch
- SRSS-1 and SRSSBW-1 available in Gray Granite, Bermuda Sand and Night Sky (standard) in Simulated Stone—Non-standard colors are non-returnable
- SRB-1 and SRBW-1 include one 2½" high full size food pan
- Standard models equipped with removable utensil tray for easy cleaning
- Optional single sided clear or smoked glass sneeze guard available
- Durable stainless steel construction with sturdy aluminum extrusions
- Models with Simulated Stone are Swanstone®



SRSSBW-1 in standard
Designer Black finish, Night
Sky Simulated Stone, smoked
sneeze guard and
Extended Shelf



SRSS-1 in standard
Designer Black and Gray
Granite Simulated Stone



SRGBW-1 shown in standard *Designer Black*, smoked glass sneeze guard (white food pans shown are not available)



SRG-1 with optional
Anodized Nickel Gloss finish
(white food pans shown are
not available)



SRBW-1 with optional
Anodized Nickel Gloss finish and
single sided clear glass sneeze
guard and accessory food pans




SRB-1 shown in optional
Anodized Nickel Gloss finish,
with 2½" high food pan (included)

SERV-RITE® PORTABLE BUFFET WARMERS

Model	Description	Dimensions	Voltage	Watts	Plug	Ship Weight
		W x D x H	Single Phase			
SRB-1	Pan(s), utensil tray	31 ⁵ / ₈ " x 22 ¹ / ₈ " x 6 ³ / ₈ "	120	500	NEMA 5-15P	50 lbs.
SRBW-1	Pan(s), utensil tray, overhead	32 ³ / ₈ " x 26" x 22 ¹ / ₈ "	120	800	NEMA 5-15P	104 lbs.
SRG-1	Heated glass and utensil tray	31 ⁵ / ₈ " x 22 ¹ / ₈ " x 6 ³ / ₈ "	120	350	NEMA 5-15P	46 lbs.
SRGBW-1	Heated glass, utensil tray, overhead	32 ³ / ₈ " x 26" x 22 ¹ / ₈ "	120	650	NEMA 5-15P	108 lbs.
SRSS-1	Heated Simulated Stone, utensil tray	31 ⁵ / ₈ " x 22 ¹ / ₈ " x 6 ³ / ₈ "	120	350	NEMA 5-15P	48 lbs.
SRSSBW-1	Heated Simulated Stone, utensil tray, overhead	32 ³ / ₈ " x 26" x 22 ¹ / ₈ "	120	650	NEMA 5-15P	102 lbs.

All Serv-Rite® Portable Buffet Warmer Models Feature:
Temperature Range: 100°-200°F.
Cord Location: Control side.

OPTIONS AND ACCESSORIES – PAGE 14

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON METAL SHEATHED AIR HEATING ELEMENTS (SRB & SRBW SERIES).



SRBW-1 models in optional Anodized Nickel Gloss finish with accessory food pans

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Black Standard –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Gloss Finish – Non-standard colors are non-returnable –

BBlack	Bold Black
---------------	------------

Gloss Finish – SRB, SRG and SRSS Models – Non-standard colors are non-returnable –

NICKEL	Anodized Nickel
---------------	-----------------

Gloss Finish – SRBW, SRGBW and SRSSBW Models – Non-standard colors are non-returnable –

NICKEL	Anodized Nickel
---------------	-----------------

Simulated Stone Colors – SRSS-1 and SRSSBW-1 Models – Non-standard colors are non-returnable – Night Sky Standard –

SS-GGRAN	Gray Granite
SS-BSAND	Bermuda Sand
SS-NSKY	Night Sky

BW-1/2	Single-sided Clear Glass Sneeze Guard in lieu of two-sided Clear Glass Sneeze Guard (BW Models only)
BW-S	Smoked Glass Sneeze Guard in lieu of two-sided Clear Glass Sneeze Guard (BW Models only)
BW-1/2S	Single-sided Smoked Glass Sneeze Guard in lieu of two-sided Clear Glass Sneeze Guard (BW Models only)
SRG-EXT	Full Glass Heated Base in lieu of Utensil Tray (SRG, SRGBW Models only). Adds 90 Watts to unit
SRSS-EXT	Full Simulated Stone Heated Base in lieu of Utensil Tray (SRSS, SRSSBW Models only). Adds 90 Watts to unit
BW-DIM	Dimmer Switch in lieu of Toggle Switch for overhead lights (BW Models only)
BW-HW	Two 300 Watt Bulbs in lieu of two 150 Watt Bulbs (BW Models only). Adds 300 Watts to unit

ACCESSORIES (available for purchase at any time)

SRCARVING	Carving Station Pan (Removable Spiked Perforated Insert, Frame and Juice Collection Tray) – 9 lbs. (4 kg). SRB-1 and SRBW-1 Models only
ST PAN 1/2	Half-Size Stainless Steel Pan – 12¾"W x 10¾"D x 2½"H



SRCARVING

FOOD PANS AND TRIVETS – PAGE 17
COLORS AND FINISHES – PAGE 18

Glo-Ray® Buffet Warmers

Hold hot food at optimum serving temperatures on buffet lines or at temporary serving areas with Hatco Glo-Ray® Buffet Warmers. Choose from either standard or *Designer* style models in many widths to fit your operation.

- Available with *Designer* Color insets with the choice of an entire unit in color as well
- Thermostatically-controlled heated base of 80°- 200°F extends holding times of most foods
- Prefocused infrared top heat directs heat to the outer edges where heat loss is greatest
- Sturdy plexi-glass sneeze guard
- Shatter-resistant incandescent lights enhance product displays while safeguarding food from bulb breakage
- Available in a variety of widths from 25"-78¼"
- Optional infinite control for top heat only



GRBW-30 with optional *Designer* Color and accessory food pans



GR2BW-30 with optional *Designer* Red insert panels and accessory food pans



GR2BW-30 in optional *Designer* Color and plexi-glass side enclosures and accessory food pans

BUFFET WARMERS

Model	No. of Bulbs	Dimensions W x D x H (includes Sneeze Guard)	Maximum Pan Capacity	Voltage	Watts	Plugs	Ship Weight
GRBW-24 [†]	2	25" x 22½" x 17¾"	1 Full Size Pan (12" x 20")	120	970	NEMA 5-15P	48 lbs.
GRBW-30 [†]	2	31" x 22½" x 17¾"	2 Full Size Pans	120	1230	NEMA 5-15P	52 lbs.
GRBW-36 ^{†▲}	3	37" x 22½" x 17¾"	2 Full Size Pans	120	1530	NEMA 5-15P	58 lbs.
GRBW-42 ^{†▲}	3	43" x 22½" x 20¾"	3 Full Size Pans	120	1730	NEMA 5-15P	68 lbs.
GRBW-48 ^{†*}	4	49" x 22½" x 20¾"	3 Full Size Pans	120	2040	NEMA 5-20P	74 lbs.
GRBW-54	4	55" x 22½" x 20¾"	4 Full Size Pans	120/208-240	2290	NEMA L14-20P	81 lbs.
GRBW-60	5	61" x 22½" x 20¾"	4 Full Size Pans	120/208-240	2600	NEMA L14-20P	90 lbs.
GRBW-66	5	67" x 22½" x 20¾"	5 Full Size Pans	120/208-240	2860	NEMA L14-20P	96 lbs.
GRBW-72	5	73" x 22½" x 20¾"	5 Full Size Pans	120/208-240	3125	NEMA L14-20P	107 lbs.

[†] Available in 120/208-240V, NEMA L14-20P.

[▲] Canadian Models use NEMA 5-20P.

^{*} Not available in 120V for Canada.

All Buffet Warmer Models Feature:

GRBW Base Simensions: 25"-73"W x 19½"D.

Cord Location: Base end plate, same side as switch.

DESIGNER BUFFET WARMERS

Model*	No. of Bulbs	Dimensions W x D x H (includes Sneeze Guard)	Maximum Pan Capacity	Voltage	Watts	Plugs	Ship Weight
GR2BW-24 [†]	2	30¼" x 27" x 19"	1 Full Size Pan (12" x 20")	120	970	NEMA 5-15P	76 lbs.
GR2BW-30 [†]	2	36¼" x 27" x 19"	2 Full Size Pans	120	1230	NEMA 5-15P	85 lbs.
GR2BW-36 ^{†▲}	2	42¼" x 27" x 19"	2 Full Size Pans	120	1470	NEMA 5-15P	97 lbs.
GR2BW-42 ^{†▲}	4	48¼" x 27" x 22"	3 Full Size Pans	120	1790	NEMA 5-15P	110 lbs.
GR2BW-48 ^{†*}	4	54¼" x 27" x 22"	3 Full Size Pans	120	2040	NEMA 5-20P	125 lbs.
GR2BW-54 ^{†*}	4	60¼" x 27" x 22"	4 Full Size Pans	120	2290	NEMA 5-20P	130 lbs.
GR2BW-60	6	66¼" x 27" x 22"	4 Full Size Pans	120/208-240	2660	NEMA L14-20P	154 lbs.
GR2BW-66	6	72¼" x 27" x 22"	5 Full Size Pans	120/208-240	2920	NEMA L14-20P	169 lbs.
GR2BW-72	6	78¼" x 27" x 22"	5 Full Size Pans	120/208-240	3185	NEMA L14-20P	186 lbs.

* When no color is specified, color inset panels and corner caps will be Black.

[†] Available in 120/208-240V, NEMA L14-20P.

[▲] Canadian Models use NEMA 5-20P.

^{*} Not available in 120V for Canada.

All Designer Buffet Warmer Models Feature:

Usable Heated Shelf Space: Width of unit minus 6½" x 21¾"D.

Cord Location: Center of bottom on control side.

OPTIONS AND ACCESSORIES – PAGE 15

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY METAL SHEATHED HEATING ELEMENTS.

GRBW - XX

Glo-Ray
Buffet Warmer

Width of unit
(inches)

GR2BW - XX

Glo-Ray
Designer
Buffet Warmer

Width of unit
(inches)



GRBW-30 with
accessory food pans

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Inset Panel Colors, GR2BW Models – Non-standard colors are non-returnable – Black Standard –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Corner Caps, GR2BW Models – Non-standard colors are non-returnable – Black Standard –

BLACK	Black Corner Caps
DKGRAY	Dark Gray Corner Caps

Plexi-Glass Front and two Side Enclosures (available for GRBW-24, -30, -36, -42 & -48 Models only) in lieu of Sneeze Guards –

FRTENCL-24, -30	-24 and -30 Models
FRTENCL-36, -42, -48	-36, -42 and -48 Models
SIDE-ENCL	Two Plexi-Glass Side Enclosures (GRBW Models only)
SIDE-ENCL2	Two Plexi-Glass Side Enclosures (GR2BW Models only)

Hardcoated Surface, GRBW Models –

HC 24-42	GRBW-24 through GRBW-42
HC 48-72	GRBW-48 through GRBW-72
INF	Infinite Control for top heat only (GRBW-24 through GRBW-60 and GR2BW-24 through GR2BW-60 Models only)
9.375BP	9 $\frac{3}{8}$ " Sneeze Guard in lieu of standard 7 $\frac{1}{2}$ " (GRBW Models only)
14BP	14" Sneeze Guard in lieu of standard 7 $\frac{1}{2}$ "
HAL	Halogen Bulb in lieu of standard Display Light (60 Watt)

FOOD PANS AND TRIVETS – PAGE 17

COLORS AND FINISHES – PAGE 18



ACCESSORIES

(available for purchase at any time)

GRBW-LEGS 4" Adjustable Legs (GRBW Models only – standard on units GRBW-42 or larger)

Pan Rail, GRBW Models (can not use with Plexi-Glass Front Enclosure) –

2 RAIL	2-Pan
3 RAIL	3-Pan
4 RAIL	4-Pan
5 RAIL	5-Pan





HGSM-1P Food pans shown not available

Food Pans And Trivets



ALUM PAN

18"SHEET PAN



PIZZA PANS
14"PIZZA PAN
16"PIZZA PAN
18"PIZZA PAN




ST PANS
ST PAN 1/3
ST PAN 1/2
ST PAN 2
ST PAN 4

FOOD PANS

Model	Description
ALUM PAN	Half-Size Sheet Pan – 18"W x 13"D
18"SHEET PAN	Full Size Sheet Pan – 18"W x 26"D
14"PIZZA PAN	Perforated Pizza Pan – 14" Diameter
16"PIZZA PAN	Perforated Pizza Pan – 16" Diameter
18"PIZZA PAN	Perforated Pizza Pan – 18" Diameter
ST PAN 1/3	Third-Size Stainless Steel Pan – 12¾"W x 6⅞"D x 2½"H
ST PAN 1/2	Half-Size Stainless Steel Pan – 12¾"W x 10⅝"D x 2½"H
ST PAN 2	Full-Size Stainless Steel Pan – 12¾"W x 20¾"D x 2½"H
ST PAN 4	Full-Size Stainless Steel Pan – 12¾"W x 20¾"D x 4"H

TRIVETS

Model	Description
Wire Trivets Stainless –	
TRIVET (1/2)SS	Half-Size – 10⅞"W x 7⅞"D
TRIVET SS	Full-Size – 10⅞"W x 18"D



TRIVETS
TRIVET (1/2)SS
TRIVET SS



Paint Chip and Stone Sample Colors

DESIGNER COLORS



Warm Red



Black



Gray
Granite



White
Granite



Navy
Blue



Hunter
Green



Antique
Copper

GLOSS FINISHES



Bold
Black

HEATED STONE COLORS*



Gray
Granite



Bermuda
Sand



Night Sky

*Colors are a representation and may not exactly match our colors.
Consult factory for possible color matching options on these colors.
Non-standard colors are non-returnable.*

To order a Hatco Paint Chip & Stone Sample Colors Sheet, visit www.hatcocorp.com / Order Literature / Sales Literature / Sell Sheets.

* Simulated Stone



Scan with web-enabled
mobile device to visit
www.hatcocorp.com



Hatco Corporation

P.O. Box 340500 | Milwaukee WI 53234-0500 USA
800-558-0607 | 414-671-6350 | Fax: 800-543-7521
www.hatcocorp.com | equipsales@hatcocorp.com