



# Material Handling

## HEAVY-DUTY CARTS & TRUCKS





# Smart.

Introducing a new standard of excellence in heavy-duty platform trucks and carts. We've significantly redesigned and expanded our material handling line with new categories, new products, and new innovations that help you work smarter, faster, and safer.

### APPLICATION-SPECIFIC DESIGNS

From our redesigned **Platform Trucks** and **Utility Carts**, and new **5<sup>th</sup> Wheel Wagon Truck** and **Work-Height Platform Truck**, to our patent-pending **Convertible A-Frame** and **Convertible Platform Trucks**, we're your source for material handling products that meet your needs in almost every environment and application.



5<sup>TH</sup> WHEEL WAGON TRUCK



HEAVY-DUTY UTILITY CART





WORK-HEIGHT PLATFORM TRUCK


### MOVE LOADS SAFELY AND EFFICIENTLY

The variable grip-height handle on our carts and trucks improves maneuverability and reduces muscle strain for most every user, regardless of height.

Angled handle helps keep wrist and bones in forearm aligned for optimum leverage while turning.



TRADITIONAL CART HANDLE DESIGN



IMPROVED VARIABLE GRIP-HEIGHT HANDLE

### CASTERS TO MEET YOUR NEEDS

We rigorously tested and selected the optimal casters for each of our products—creating the most efficient and durable material handling solutions for your specific requirements. (See caster options on page 16.)



#### POLYOLEFIN

Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.



#### PNEUMATIC

Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



#### THERMOPLASTIC RUBBER (TPR)

TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

# Rugged.

## DURAMOLD™ REAL WORLD RUGGED — TESTED TOUGH

Rubbermaid's exclusive Duramold™ technology exceeds the highest performance standards in the industry. We test and retest our products to meet rigorous durability standards, and our new material handling products are no exception. Real-world rugged durability, innovative technology, and best-in-class features combine to create longer lasting products that carry heavy loads—and make your work easier.

DURAMOLD™ precision engineered resin & steel composite decks  
**HOLD & TRANSPORT UP TO 2500 lbs.**  
of weight load capacity



40 buckets of sheetrock compound weighs over 2,400 lbs.—that's a load!

### WILL NOT WARP, DENT, SPLINTER, RUST, OR ROT

Tough, resilient surface absorbs impact and provides quiet operation. Virtually maintenance-free: resistant to most chemicals, impervious to water damage, and is easily cleaned.



Metal—dents and rusts



Wood—splinters and rots



Duramold™ decks are formed from a precision engineered resin and metal composite structure that is lighter than typical steel/wood products without sacrificing strength, which enables weight reduction and improved ergonomics.

**PUT YOUR EFFORT INTO MOVING YOUR PAYLOAD, NOT YOUR TRUCK**

**DURAMOLD™ HAS THE HIGHEST STRENGTH TO WEIGHT RATIO**

when compared to metal, wood, and solid plastic decks.

# 35%

**lighter weight construction to transport the same payload**



Duramold™ resin and metal composite structure is recyclable.

# Trusted.



As your partner in Material Handling for more than 30 years, you can count on our breakthrough innovations and long-lasting products to meet your most demanding heavy-duty material handling needs.

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)

# Smarter Innovations

## CONVERTIBLE A-FRAME TRUCK

Unique patent-pending design combines the bulk load capacity of standard panel trucks and bar stock trucks with the functionality of a heavy-duty two-shelf cart. Saves time and money by transporting oversized, heavy loads of sheet goods, pipe, lumber, bar stock, tools, and supplies to your work site in one trip.

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)

**DURAMOLD**

DECK SIZE:

27 1/4" X 56 3/8"

MAX. CAPACITY (lbs)

**2000**

TWO FIXED & TWO LOCKING SWIVEL CASTERS



Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.

Two locking polyolefin casters allow for added stability when loading and unloading.

**KEEP TOOLS & SUPPLIES ORGANIZED**

Independent fold-down top shelves hold small items, tools, and supplies; 100 lb capacity per side.

**KEEPS LOADS SECURE**

A-frame configuration holds sheet goods securely in place.

**EASY CONVERTIBILITY**

Spring-loaded release latches safely allow one or both top shelves to be folded down.

**HANDLES OVERSIZED LOADS**

Four independent articulating outrigger arms fold down to cradle lumber, pipe, and bar stock; 100 lb capacity per arm.

**IMPROVE PRODUCTIVITY**

Large deck surface holds up to 12" depth of sheet goods, 6" on either side.

**RUGGED CONSTRUCTION**

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



4465  
CONVERTIBLE A-FRAME TRUCK

## CONVERTIBLE PLATFORM TRUCK

Patent-pending three-in-one convertible design quickly transforms from a standard platform truck or U-boat configuration into a two-shelf cart. Work more efficiently by transporting heavy loads, tools, and supplies with a single product. It's like getting three trucks/carts in one!

**DURAMOLD**

DECK SIZE:

CART  
24" X 44" TRUCK  
24" X 52"

Max. Capacity: 750 lbs cart;  
1000 lbs truck

CAPACITY RANGE (lbs)

**750-1000**

**QUICK CONVERSION**

Push-button release latch makes conversion from heavy-duty cart to platform truck effortless.



**CART CONFIGURATION**

Two-shelf heavy-duty cart holds up to 750 lbs.



**U-BOAT CONFIGURATION**

U-boat configuration helps keep stacked or bulky goods in place; 1,000 lb capacity.

4497  
CONVERTIBLE  
PLATFORM TRUCK

**RUGGED CONSTRUCTION**

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

**BUILT-IN SAFETY FEATURES**

Unique slide-locking latches prevent unintended handle removal.



**PLATFORM TRUCK CONFIGURATION**  
Removable handle can be repositioned to create a heavy-duty platform truck.

**CASTER OPTIONS**



TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



MULTIPLE CART & TRUCK CONFIGURATIONS IN ONE PRODUCT!

MULTIPLE CONFIGURATIONS TO HANDLE ANY JOB



See page 16 for caster options.

# Smarter Trucks

## HEAVY-DUTY PLATFORM TRUCK

Ideal for moving large, heavy, oversized loads in a variety of environments from retail to construction.

### DURAMOLD

#### DECK SIZES:

24" x 36"  
24" x 48"  
30" x 60"

CAPACITY RANGE (lbs)  
**1000-2500**

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)



**IMPROVED MANEUVERABILITY**  
Variable grip-height handle improves control and worker safety.

**VIRTUALLY MAINTENANCE FREE**  
Powder-coated steel creates a hard finish that is far tougher than conventional paint.

**SECURE SMALL ITEMS**  
Perimeter deck channel retains small items.

**KEEP LOADS IN PLACE**  
Textured deck surface reduces load slippage.



**BUILT-IN SAFETY FEATURES**  
Retainer clips prevent unintended handle removal.



**BETTER LOAD RETENTION**  
Four molded-in tie-down slots for securing loads with tie-down straps or bungees.

### CASTER OPTIONS



TPR casters absorb shock and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.

4403  
HEAVY-DUTY PLATFORM TRUCK

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

See page 16 for caster options.

## SHEET & PANEL TRUCK AND A-FRAME PANEL TRUCK

Transport large, bulky sheet goods and hard-to-handle loads such as doors, lumber, sheet rock, tables, and cubicle walls.

### DURAMOLD

#### DECK SIZES:

24" x 36"  
24" x 48"  
30" x 60"

MAX. CAPACITY (lbs)  
**2000**



4468  
SHEET & PANEL TRUCK

**BUILT-IN SAFETY FEATURES**  
Retainer clips lock frames securely in place and prevent unintended removal. Four tie-down points, two on each side, help with load retention.

**MOVE HARD-TO-HANDLE LOADS**  
Three removable powder-coated steel vertical frames provide support for bulky loads. Frames can be removed as needed based on load requirements.


**HOLDS SHEET GOODS SECURELY**  
High-side inclined frame and side rail holds load firmly in place during transit.

**KEEP LOADS IN PLACE**  
Textured deck surface reduces load slippage.



4463  
A-FRAME PANEL TRUCK

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



**SMOOTH MANEUVERABILITY**  
Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.



# Smarter Trucks

## WORK-HEIGHT PLATFORM TRUCK

Unique, adjustable design allows platform deck to be placed at one of three work heights.

### DURAMOLD

#### DECK SIZES:

- 24" x 36"
- 24" x 48"
- 30" x 60"

MAX. CAPACITY (lbs)  
**2000**

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)



**REDUCE LIFTING & BENDING**  
Easily moveable platform adjusts to three work heights, helping to safeguard user well-being and improve productivity.



**CHEMICAL & WATER RESISTANT CASTERS**  
TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

**KEEP LOADS IN PLACE**  
Textured deck surface reduces load slippage.


**BETTER LOAD RETENTION**  
Four molded-in tie-down slots for securing loads with tie-down straps or bungees.

**BUILT-IN SAFETY FEATURES**  
Retainer clips prevent unintended handle removal.

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



4473  
**WORK-HEIGHT PLATFORM TRUCK**



Adjustable platform deck reduces the strain of bending and lifting. SKUs 4473-00 and 4474-00 (shown) adjust from 29" to 35" high in 3" increments. SKU 4472-00 adjusts from 27" to 33" high in 3" increments.

See page 16 for caster options.

## 5<sup>TH</sup> WHEEL WAGON TRUCK

Move heavy loads across rough surfaces, indoors and out.

### DURAMOLD

#### DECK SIZES:

- 24" x 36"
- 24" x 48"
- 30" x 60"

CAPACITY RANGE (lbs)  
**1200-2000**

**MOVE LOADS SAFELY**  
Turn stop prevents tipping/dumping of load.

### WHEEL OPTIONS



MOR wheels absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



Pneumatic wheels provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.

**EASY TO USE**  
Vinyl grip handle stays upright when not in use.



**KEEP LOADS SECURE**  
Four tie-down points, two on each side, help with load retention.



4477  
**5<sup>TH</sup> WHEEL WAGON TRUCK**

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

**BETTER CONTROL**  
The pivoting 5<sup>th</sup> wheel design provides a tight turning radius for maximum maneuverability.



## TOWABLE & TRAINABLE

- T-bar is removable for towing by a single truck up to 5 mph
- Tow Hitch Kit available (9T10, sold separately) with pintle style and clevis pin mount tow hitches
- Rear tow hitch allows training with other trucks



T-Handle



Pintle



Clevis Pin



Rear Tow Hitch

# Smarter Trucks

## SIDE PANEL PLATFORM TRUCK

Ideal for transporting small packages and materials.

### DURAMOLD

#### DECK SIZES:

24" x 36"  
24" x 48"  
30" x 60"

CAPACITY RANGE (lbs)  
**1000-2000**

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)



**ENHANCE USER COMFORT**  
Side panel cut-outs allow easy access to load.



4486  
SIDE PANEL  
PLATFORM TRUCK

**3 X 3" GRID SIDE PANELS**  
Heavy-duty wire side panels retain small packages and items.

**BETTER LOAD RETENTION**  
Molded-in tie-down slots increase load security. Textured deck surface reduces load slippage.

**BUILT-IN SAFETY FEATURES**  
Retainer clips prevent unintended handle removal.

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

### CASTER OPTIONS



TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.

### CUSTOMIZABLE

Remove one, two, three, or all four side panels to accommodate any size load.



See page 16 for caster options.

## STANCHION PLATFORM TRUCK

Safely transport long, bulky loads such as roll goods, pipe, lumber, carpet, and linoleum.

### DURAMOLD

#### DECK SIZES:

24" x 36"  
24" x 48"  
30" x 60"

MAX. CAPACITY (lbs)  
**2500**



**EASY LOADING AND UNLOADING**  
Removable heavy-duty steel corner posts allow access to load. Corner post retainer clips prevent unintended removal.



**REDUCE LOAD SLIPPAGE**  
Textured deck surface reduces load slippage.

**KEEP LOADS SECURE**  
Four molded-in tie-down points provide additional load security.

**RUGGED CONSTRUCTION**  
Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

4482  
STANCHION  
PLATFORM TRUCK



### PROTECT FLOORS

Hard-tread polyolefin casters roll easier than soft tread casters. Non-marking, impact and chemical resistant casters won't flat-spot under static loads or pick up metal shavings, nails, and other debris. Excellent on concrete, wood, carpet, and steel surfaces.



# Smarter Storage

## SEMI-LIVE SKIDS

Ideal for temporary transport and storage of materials and supplies.

### DURAMOLD

#### DECK SIZES:

- 24" x 36"
- 24" x 48"
- 30" x 60"

CAPACITY RANGE (lbs)  
**1500-2000**

See it in ACTION

[www.rcpmaterialhandling.com](http://www.rcpmaterialhandling.com)

#### RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.

#### REMOVABLE JACK HANDLE

Provides tight turning radius for easy maneuverability in confined spaces (jack handle sold separately).



#### EASY OPERATION

Heavy-duty tow plate engages and disengages jack handle.

#### CASTER

TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.



#### BETTER LOAD RETENTION

Molded-in tie-down slots increase load security. Textured deck surface reduces load slippage.

4494  
SEMI-LIVE SKID



## DUNNAGE RACKS

Perfect for storing frozen, cold, or dry goods off of the floor.



#### MEETS NSF FOOD SAFETY GUIDELINES

12" high deck meets food safety guidelines; NSF approved.

#### FREEZER SAFE

Withstands temperatures from -20° to 120° F.

#### RUGGED CONSTRUCTION

Duramold's™ exclusive, precision-engineered resin and metal composite structure provides maximum load support.



4490  
DUNNAGE RACK



#### HELPS ENSURE PRODUCT QUALITY

Slotted deck allows maximum air circulation for perishable or dry goods.

See page 16 for caster options.

# Smarter Carts

## HEAVY-DUTY UTILITY CARTS

Transport materials, supplies, and heavy loads in almost any environment.

#### CART SIZES:

- 17 1/4" x 38 1/2"
- 25 1/2" x 44"
- 25 1/2" x 54"

CAPACITY RANGE (lbs)  
**500-750**



#### STAY ORGANIZED

Easy-reach tool/accessory hooks provide additional storage. (4500 and 4500-88 have storage caddies only.)



#### WORK MORE EFFICIENTLY

Built-in tool holster and caddy keep items at hand and in place during transport.



#### CUSTOMIZABLE

Molded-in fittings allow you to add pipe or rods to hold wire spools and other roll type goods.

#### LARGE WORK SURFACE

Flat top shelf for oversized loads and smarter work surface.

#### MANEUVER SAFELY

Variable grip-height handle improves control and worker safety.

OVER **30%** more storage than previous Rubbermaid Utility Carts



4525  
HEAVY-DUTY FLAT SHELF UTILITY CART

#### KEEP LOADS SECURE

Deep pocket shelves keep contents in place.

#### BUILT-IN PRODUCTIVITY

V-notch holds pipe securely for safe cutting.



4520-88  
HEAVY-DUTY UTILITY CART



Pneumatic casters provide a cushioned and quiet ride for fragile loads, making them ideal for rough and uneven surfaces, inside and out. Excellent on virtually all surfaces from smooth concrete to gravel.



TPR casters absorb shock, and provide floor surface protection and quiet operation. Excellent on linoleum, tile, terrazzo, wood, smooth concrete, and carpet.

## ACCESSORIZE AND CUSTOMIZE FOR YOUR NEEDS



4590 3-OUTLET POWER STRIP



3353-88 8 GAL REFUSE BIN



4593 SINGLE FULL EXTENSION DRAWER

CASTER OPTIONS ARE AVAILABLE ON MEDIUM AND LARGE CARTS





# Smarter Material Handling

## CONVERTIBLE A-FRAME TRUCK

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4465	27" x 44 1/4"	2,000 lb	27" x 56 1/4" x 49 1/2"	8" Polyolefin

## CONVERTIBLE PLATFORM TRUCKS

Item #	Overall Dimensions (Cart)	Overall Dimensions (Truck)	Load Capacity	Caster Type
4496	24 1/4" x 44 1/8" x 36 1/4"	24 1/4" x 65 7/8" x 42"	750 lb as cart, 1,000 lb as platform	6" TPR
4497	24 1/4" x 44 1/8" x 36 1/4"	24 1/4" x 65 7/8" x 45"	750 lb as cart, 2,000 lb as platform	8" Pneumatic

## HEAVY-DUTY PLATFORM TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4403	24" x 36"	1,000 lb	40 1/2" x 24 1/4" x 39 3/4"	6" TPR
4406	24" x 36"	2,000 lb	40 1/2" x 24 1/4" x 39 3/4"	6" Polyolefin
4436	24" x 48"	2,000 lb	52 1/2" x 24 1/4" x 41 1/2"	8" TPR
4436-10	24" x 48"	1,200 lb	52 1/2" x 24 1/4" x 42 1/2"	8" Pneumatic
4441	24" x 48"	2,500 lb	52 1/2" x 24 1/4" x 41 1/2"	8" Polyolefin
4466	30" x 60"	2,000 lb	64 1/2" x 30 1/4" x 41 1/2"	8" TPR
4466-10	30" x 60"	1,200 lb	64 1/2" x 30 1/4" x 42 1/2"	8" Pneumatic
4471	30" x 60"	2,500 lb	64 1/2" x 30 1/4" x 41 1/2"	8" Polyolefin
9T11	40" x 70"	1,000 lb	70" x 40" x 11 1/2"	6" TPR
9T12	40" x 70"	1,000 lb	70" x 40" x 13 1/2"	8" Pneumatic
9T21	40" x 70"	1,000 lb	70" x 40" x 13 1/2"	8" Polyolefin
9T09	Side Panel Package for 9T11, 9T12, 9T21			NA

## SHEET & PANEL TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4467	24" x 36"	2,000 lb	38 3/4" x 24 1/4" x 38"	6" Polyolefin
4468	24" x 48"	2,000 lb	50 3/4" x 24 1/4" x 39 3/4"	8" Polyolefin
4469	30" x 60"	2,000 lb	62 3/4" x 30 1/4" x 39 3/4"	8" Polyolefin

## A-FRAME PANEL TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4462	24" x 36"	2,000 lb	38 3/4" x 24 1/4" x 43"	6" Polyolefin
4463	24" x 48"	2,000 lb	50 3/4" x 24 1/4" x 44 1/2"	8" Polyolefin
4464	30" x 60"	2,000 lb	62 3/4" x 30 1/4" x 44 1/2"	8" Polyolefin

## WORK-HEIGHT PLATFORM TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4472	24" x 36"	2,000 lb	38 3/4" x 24 1/4" x 44 1/2"	6" TPR
4473	24" x 48"	2,000 lb	50 3/4" x 24 1/4" x 46 1/2"	8" TPR
4474	30" x 60"	2,000 lb	62 3/4" x 30 1/4" x 46 1/2"	8" TPR

## 5TH WHEEL WAGON TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4475	24" x 36"	1,200 lb	45" x 24 1/4" x 16 3/4"	10" Pneumatic
4476	24" x 36"	2,000 lb	45" x 24 1/4" x 16 3/4"	10" TPR
4477	24" x 48"	2,000 lb	56 1/4" x 24 1/4" x 17 1/2"	12" Pneumatic
4478	24" x 48"	2,000 lb	56 1/4" x 24 1/4" x 17 1/2"	12" TPR
4479	30" x 60"	2,000 lb	70 1/2" x 30 1/4" x 17 1/2"	12" Pneumatic
4480	30" x 60"	2,000 lb	70 1/2" x 30 1/4" x 17 1/2"	12" TPR
9T06	40" x 70"	3,500 lb	70" x 40" x 21"	16" Pneumatic
9T07	40" x 70"	2,000 lb	70" x 40" x 18 1/4"	12" Pneumatic
9T09	Side Panel Package for 9T06, 9T07			
9T10	Tow Package			

## SIDE PANEL PLATFORM TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4484	24" x 36"	1,000 lb	44" x 24 1/4" x 39 1/4"	6" TPR
4485	24" x 48"	1,200 lb	56" x 24 1/4" x 41 1/2"	8" Pneumatic
4486	24" x 48"	2,000 lb	56" x 24 1/4" x 41 1/4"	8" TPR
4487	30" x 60"	1,200 lb	68 1/2" x 30 1/4" x 41 3/4"	8" Pneumatic
4488	30" x 60"	2,000 lb	68 1/2" x 30 1/4" x 41 1/2"	8" TPR

## STANCHION PLATFORM TRUCKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4481	24" x 36"	2,500 lb	38 3/4" x 24 1/4" x 40 3/4"	6" Polyolefin
4482	24" x 48"	2,500 lb	50 3/4" x 24 1/4" x 42 1/2"	8" Polyolefin
4483	30" x 60"	2,500 lb	62 3/4" x 30 1/4" x 42 1/2"	8" Polyolefin

## SEMI-LIVE SKIDS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4493	24" x 36"	2,000 lb	38" x 24" x 12"	8" x 2" TPR
4494	24" x 48"	2,000 lb	50" x 24" x 12"	8" x 2" TPR
4495	30" x 60"	2,000 lb	62" x 30" x 12"	8" x 2" TPR
4492	Jack Handle		49 1/2" x 11"	

## DUNNAGE RACKS

Item #	Deck Size (W x L)	Load Capacity	Overall Dimensions (assembled L x W x H)	Caster Type
4489	24" x 36"	1,500 lb	36" x 24" x 12"	N/A
4490	24" x 48"	2,000 lb	48" x 24" x 12"	N/A
4491	30" x 60"	2,000 lb	60" x 30" x 12"	N/A

## HEAVY-DUTY UTILITY CARTS

Item #	Product Dimensions (assembled L x W x H)	Load Capacity	Caster Type
4500-88*	38 1/2" x 17 1/2" x 38 1/2"	500 lb	5" TPR
4520-88*	44" x 25 1/4" x 38 1/2"	500 lb	5" TPR
4520-10	44" x 25 1/4" x 43 1/2"	500 lb	8" Pneumatic
4546*	54" x 25 1/4" x 39 1/4"	750 lb	5" TPR
4546-10	54" x 25 1/4" x 43 1/2"	750 lb	8" Pneumatic

\*Available in Black and Beige.

## HEAVY-DUTY FLAT SHELF UTILITY CARTS

Item #	Product Dimensions (assembled L x W x H)	Load Capacity	Caster Type
4505-00	38 1/2" x 17 1/2" x 38 1/2"	500 lb	5" TPR
4525-00	44" x 25 1/4" x 38 1/2"	500 lb	5" TPR
4545-00	54" x 25 1/4" x 38 1/2"	750 lb	5" TPR

\*Available in Black and Beige.

## ACCESSORIES

Item #	Description	Color
3353-88	8 Gal Refuse Bin	BLA
3354-88	4 Gal Utility Bin	BLA
4590	3-Outlet, Surge Protected Power Strip with 10' Cord	BLA
4591	Hook Kit (Set of 4)	BLA
4592	8" Pneumatic Caster Kit	GRAY
4593	Single Full Extension Drawer	RED



LOOKING FOR A CUSTOM SOLUTION?  
CONTACT RCP CUSTOMER SERVICE  
FOR SPECIAL ORDER INFORMATION.

A **NewellRubbermaid** Company

©2009 by Rubbermaid Commercial Products LLC  
3124 Valley Avenue, Winchester, VA 22601  
08/09 MP 20M SM751

Printed on Recycled Paper

Customer Service: 1-800-347-9800  
www.rcpmaterialhandling.com

**Work Smarter.**

