

MATERIAL SAFETY DATA SHEET

According to the European directive 2001/58/CE

Date :1/8/2020

Section 1. Chemical Product

MSDS Name: Valve Regulated Sealed Lead-Acid Batteries

Manufacturer: Jiangxi Hengli Technology Battery Co.,Ltd

Address: No.128, Yingbin Avenue, Fu Zhou Industriad Park, Fu Zhou City, Jiangxi Province, China 344000

Tel: +86-794-8242174, Fax: +86-794-8242187

Section 2. Composition /Information on Ingredients:

Chemical Nature: Lead, Lead Oxide, Lead Sulfate, Sulfuric Acid

CAS-No/EINECS NO.: List as below

Tariff No. 85072000

Dangerous ingredients which have to be mentioned according to 99/45/EEC and its adaptations

Chemical Name	HAZARDOUS	TLV(UNITS)	RISK PHRASES
CAS No.	%by weight		
Lead 7439-92-1	50	N/A	
Lead Oxide 1309-60-0	23	N/A	
Lead Sulfate 7446-14-2	1	N/A	
Sulfuric Acid 7664-93-9	8	1.25-1.35g/m³	
AGM fiber glass 65997-17-3	5	N/A	
Acrylonitrile/butadiene/styrene resin 25085-99-8	12	N/A	(C₂₁H₂₄O₄)_x
Epoxy Resin 25068-38-6	1	N/A	C₁₈H₂₁ClO₃

Section 3. Hazards identifications

General:

Under normal operating conditions, the internal material will not be hazardous to your health. Only internally exposed material during production or case breakage or extreme heat (fire) may be hazardous to your health. The Common known rules for handling of chemicals should be obeyed. Do not eat/drink the product.

Section 4. First –aid measures:

Inhalation:

In case of excessive inhalation remove the person to fresh air and at rest Obtain medical advice.

Skin Contact:

Remove contaminated clothing. Wash affected areas with plenty of water and soap. If irritation occurs, consult a physician.

Eye contact:

Rinse eyes immediately with running water for at least ten minutes. Consult an ophthalmologist.

Ingestion:

Rinse mouth with water Give plenty of water to drink. Do not induce vomiting. Obtain medical advice.

Section 5. Fire-fighting measures

Suitable extinguishing media: Carbon dioxide (CO₂), foam, dry chemical powder.

Extinguishing media not to be used: Never use a direct water jet.

Personal protective equipments: Wear full protective clothing. Use self-contained breathing

Section 6. Accidental release measures:

Personal precautions Wear protective clothing. Keep unprotected persons away.

Environmental precautions: Avoid discharge and penetration into sewerage systems, waterways, pits, and cellars.

Methods for cleaning up: Collect spilled material with an inert standard absorbent like sand or silica. Care for well-ventilated conditions. Recycle or dispose of the materials in an appropriate way.

Section 7. Handling and storage

General Obey the common known rules and precautions for handling with chemicals.

Storage: Store product in well-filled, appropriate coated and tightly closed containers avoiding influence of oxygen/air, light and humidity. Store at a cool and constant temperature.

Section 8. Exposure controls/Personal protection

Exposition/ Technical measures Atmospheric vapor concentrations must be minimized by adequate ventilation.

Protection of hands, eyes and skin: To protect hands, eyes and skin, the use of appropriate chemical resistant gloves, safety glasses and suitable protective clothing is strictly recommended.

9. Physical and chemical properties of Electrolyte

Physical state:	liquid	Solubility in water:	soluble
Color:	clear	Vapor pressure:	no applicable
Odor:	acidic odor	Explosion limit:	not applicable
pH value:	not determined	Oxidizing properties:	not applicable
Specific gravity:	1.215-1.350 (at 25 °C)	Flashpoint:	none
Auto flammability:	not determined	Partition coefficient:	not determined
Melting Point:	lead 327.4°C	Boiling Point:	1515°C
Freezing Point:	not determined		

Section 10. Stability and Reactivity

Good stability at standard temperature.

Reactivity: Avoid contact with acids. Alkali or strong oxidizing agents.

Hazardous decomposition products: carbon monoxide and unidentified organic compounds may be formed during combustion.

Section 11. Toxicological information

The product is multi component mixture for which no toxicological data exists.

This preparation is classified XI, N R38-43.

Section 12. Ecological information

In general, no ecological data is available for preparations.

Precautions Avoid disposing into drainage systems and in the environment.

Section 13. Disposable considerations

Do not dispose of in environment or into sewerage. If recycling is not possible, the product and its container have to be disposed of in accordance with your local legislation and regulations.

Section 14. Transport Information

We hereby certify that the batteries conform to the UN2800 classification as "Batteries, wet, Non-Spillable, electric storage". We further certify that under (I.A.T.A.) Dangerous Goods Regulation, 41st edition, UN2800 provision A67 and the (D.O.T.), CFR 49 Section 173.159 paragraph d., the batteries having met the related conditions are EXEMPT from hazardous goods regulations, and therefore are unrestricted for Transportation by any means.

For your reference:

IATA Dangerous Goods Regulation, 44th Edition, Section 4.5A, Special Provision;

A67 Non-spillable batteries are considered to be non-dangerous if at a temperature of 55 deg. C (130 deg. F), the electrolyte will not flow from a ruptured or cracked case and there is no free liquid to flow and if, when packaged for transport, the terminals are protected from short circuit.

So it is General cargo, not DG cargo.

Section 15. Regulatory Information

Symbol: N/A

R/S-Phrases:

R38 Irritation to skin
R43 May cause sensitization by skin contact
S2 Keep out of reach of children
S24 Avoid contact with skin
S37 Wear suitable gloves
S61 Avoid release to environment. Refer to special instructions.

Section 16. Other information

The information on this Material Safety Data Sheet (MSDS) was obtained from current and reputable sources. However, the data is provided without any warranty; expressed or implied, regarding its correctness or accuracy. It is the user's responsibility to assume liability on loss, injury, damage, or expense resulting from improper use of this product. Any previous MSDS of this product mentioned above are hereby replaced with this new document. We urge you to make this information available as appropriate in your organization and to any others with whom you arrange to handle this product.

MSDS Preparation Date: 1/8/2020

