

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.05.2013

Version number 1

Revision: 24.05.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· Date of compilation: 27.10.2009

· 1.1 Product identifier

· Trade name: <u>RATIONAL- Decalcifyer</u>

· Article number(s): 6006.0110

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the preparation: Deliming agent

 1.3 Details of the supplier of the safety data sheet
 Manufacturer / Supplier: Rational AG
 Iglinger Straβe 62
 D-86899 Landsberg

Tel.: ++49-(0)8191 - 32 70 *Fax:* ++49-(0)8191 - 21735

· E-mail address of the competent person responsible for the Safety Data Sheet: info@rational-online.com

· Informing department: Quality management

· 1.4 Emergency telephone number:

Internationale Giftzentrale Tel.: +49-(0)89-19240 "Rechts der Isar"

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage. • Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36/38: Irritating to eyes and skin.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008* The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



• Signal word Danger • Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.

(Contd. on page 2)

GB

Printing date 24.05.2013

Version number 1

Revision: 24.05.2013

Trade name: RATIONAL- Decalcifyer

	(Contd. of page 1)
P103	Read label before use.
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	R IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
2.3 Other hazards	
· Results of PBT an	d vPvB assessment
• PBT: Not applicab	le.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 5329-14-6	Sulphamic acid	2.5-10%
EINECS: 226-218-8	🗙 Xi R36/38	
Index number: 016-026-00-0	<u>R5</u> 2/53	
	🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	
CAS: 7664-38-2	Phosphoric acid	2.5-10%
EINECS: 231-633-2	C R34	
Index number: 015-011-00-6	📀 Met. Corr.1, H290; Skin Corr. 1B, H314	
• Additional information: For	the wording of the listed risk phrases refer to section 16.	
· Ingredients according to Reg	ulation (EC) No 648/2004:	
non-ionic surfactants		< 5%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- *General information: Immediately remove any clothing contaminated by the product.*
- After inhalation: Supply fresh air; consult doctor in case of symptoms.
- After skin contact:

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

Use eye protection.

Call a doctor immediately.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting - Danger of perforation!

Call a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

GB

Printing date 24.05.2013

Version number 1

Revision: 24.05.2013

Trade name: RATIONAL- Decalcifyer

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents none
- 5.2 Special hazards arising from the substance or mixture Can be released in case of fire: Nitrogen oxides (NOx) Oxides of phosphorus (PxOy) Sulphur oxides (SOx)
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing. Ensure adequate ventilation. Avoid contact with skin and eyes.
 6.2 Environmental precautions:

- Do not allow to enter drainage system, surface or ground water. Dilute with much water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Send for recovery or disposal in suitable containers.
 Dispose of the material collected according to regulations.
- 6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin and eyes. Do not breathe vapour/spray. Make sure that all applicable workplace limits are observed.
• Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- *Requirements to be met by storerooms and containers: Store in the original container.*

Observe all local and national regulations for storage of water polluting products.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

GB

Printing date 24.05.2013

Version number 1

Revision: 24.05.2013

Trade name: RATIONAL- Decalcifyer

8.1 Control parameters Components with critical	values that require monitoring at the workplace:
7664-38-2 Phosphoric aci	
WEL (Great Britain)	Short-term value: 2 mg/m ³
WEL (Great Dritain)	Long-term value: 1 mg/m ³
IOELV (European Union)	
IOELV (European Onion)	Short-term value: 2 mg/m³ Long-term value: 1 mg/m³
Additional information: T	he lists that were valid during the compilation were used as basis.
-	
8.2 Exposure controls	nant
Personal protective equips General protective and hys	
Keep away from foodstuffs	
Instantly remove any conta	
Do not inhale gases / fume	and at the end of the work.
Avoid contact with the eyes	
Do not eat, drink or smoke Broathing equipment:	while working.
Breathing equipment:	vhen aerosol or mist is formed.
· ·	observed and good ventilation is ensured, no special precautions necessary.
Protection of hands:	
Protective gloves	two the warding of aloung to the merid with imme
	luce the wearing of gloves to the required minimum.
	or to each renewed use of the glove.
	be impermeable and resistant to the product/ the substance/ the preparation.
	commendation to the glove material can be given for the product/ the preparation
the chemical mixture.	
	rial on consideration of the penetration times, rates of diffusion and the
degradation.	
Material of gloves	
	le gloves does not only depend on the material, but also on further marks of quali
	urer to manufacturer. As the product is a preparation of several substances, the
	erial can not be calculated in advance and has therefore to be checked prior to t
application.	
Penetration time of glove	
	me has to be found out by the manufacturer of the protective gloves and has to be
observed.	
Eye protection: Tightly sec	aled safety glasses
Body protection must be cl	hosen depending on activity and possible exposure.
Body protection: Protective work clothing Body protection must be ch	hosen depending on activity and possible exposure.
	l and chamical properties
9.1 Information on basic p	physical and chemical properties
9.1 Information on basic _I General Information	
9.1 Information on basic µ General Information Appearance:	physical and chemical properties
9.1 Information on basic p General Information Appearance: Form:	physical and chemical properties
General Information Appearance: Form: Colour:	physical and chemical properties liquid yellowish
9.1 Information on basic p General Information Appearance: Form: Colour: Smell:	physical and chemical properties liquid yellowish characteristic
9.1 Information on basic p General Information Appearance: Form: Colour: Smell:	physical and chemical properties liquid yellowish
9.1 Information on basic p General Information Appearance: Form:	physical and chemical properties liquid yellowish characteristic

Printing date 24.05.2013

Version number 1

Revision: 24.05.2013

Trade name: RATIONAL- Decalcifyer

	(Contd. of pag
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	not determined ≥ 100 °C
Flash point:	not applicable
Inflammability (solid, gaseous)	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Danger of explosion:	Product is not explosive.
• Critical values for explosion: Lower: Upper: • Oxidizing properties	Not determined. Not determined. not classified as oxidising
Vapor pressure at 20 °C:	23 hPa
Density at 20 °C: Relative density Vapour density (AIR = 1): Evaporation rate	1.085 g/cm ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	fully miscible
Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity: dynamic: kinematic: Organic solvents:	not determined not determined 0 %
• 9.2 Other information	<i>Further informations please refer to technical data sheet.</i>

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Corrosive action on metals
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Nitrogen oxides (NOx) Phosphorus oxides (e.g. P_2O_5) Sulphur oxides (SOx)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

5329-14-6 Sulphamic acid

Oral LD50 3160 mg/kg (rat)

(Contd. on page 6)

GB

Printing date 24.05.2013

Version number 1

(Contd. of page 5)

Trade name: RATIONAL- Decalcifyer

7664-38-2 Phosphoric acid

Oral LD50 1530 mg/kg (rat)

Dermal LD50 2740 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Corrosive to skin and mucous membranes.
- on the eye: Causes serious eye damage.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of Regulation (EC) No. 1272/2008 (CLP/GHS):

Skin Corr. 1B

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Irritant

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

According to present knowledge no CMR-effects known.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

5329-14-6 Sulphamic acid

- LC50/96 h 70.3 mg/l (fish)
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. Water hazard class 1 (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

- Waste disposal key number: According to local/national regulations.
- · European waste catalogue:

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.
- Recommended cleaning agent: Water, if necessary with cleaning agent.

(Contd. on page 7)

Printing date 24.05.2013

Version number 1

Revision: 24.05.2013

Trade name: RATIONAL- Decalcifyer

(Contd. of page 6)

14.1 UN-Number	
ADR, IMDG, IATA	UN3264
14.2 UN proper shipping name	
ADR	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
	N.O.S. (PHOSPHORIC ACID, SOLUTION, SULPHAMIC
	ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SOLUTION, SULPHAMIC ACID
14.3 Transport hazard class(es)	
ADR	
\sim	
1 Alexandre	
Class	8 (C1) Corrosive substances.
Label	8 (C1) Corrosive substances.
IMDG, IATA	
A A A A A A A A A A A A A A A A A A A	
Car and a second	
4	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDĞ, IATA	111
14.6 Special precautions for user	Warning: Corrosive substances.
Kemler Number:	80
EMS Number:	F-A,S-B
Segregation groups	Acids
14.7 Transport in bulk according to A	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ):	E1
Limited quantities (LQ):	5L
Transport category:	3
Tunnel restriction code:	E
UN "Model Regulation":	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC,
	N.O.S. (PHOSPHORIC ACID, SOLUTION, SULPHAMIC

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Chemical Substance Control Law

· Existing Chemical Substances

None of the ingredients is listed.

(Contd. on page 8)

GB ·

Printing date 24.05.2013

Version number 1

Trade name: RATIONAL- Decalcifyer

(Contd. of page 7)

• Specified Chemical Substances None of the ingredients is listed.

· Monitoring /Type II Monitoring (before amendment) /Type III Monitoring (before amendment) Chemical Substances

None of the ingredients is listed.

· Priority Assessment Chemical Substances

None of the ingredients is listed.

• Chemical Substances Relating to a Public Notice Pursuant to The Provisions of Paragraph 4 of Article 4 of the Former Act

None of the ingredients is listed.

· Biodegradation and Bioconcentration of Existing Chemical Substances

None of the ingredients is listed.

· Toxicity Tests Results

None of the ingredients is listed.

· National regulations

· Information about limitation of use: Employment restrictions concerning young persons must be observed.

· Decree to be applied in case of technical fault: Directive 96/82/EC does not apply.

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for changes:

The Material Safety Data Sheet has been revised. Changes in the respective chapters are characterized in the left side edge by *.

· Relevant phrases

The(se) R- resp. H-phrase(s) are those of the ingredient(s) and do(es) not necessarily represent the classification of the preparation.

H290 May be corrosive to metals.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

R34 Causes burns.

R36/38 Irritating to eyes and skin. R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· Department issuing MSDS:

C.S.B. GmbH Düsseldorfer Str. 113 47809 Krefeld / Germany Phone: +49 - 2151 - 652086-0 Fax: +49 - 2151 - 652086-9

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent