

# SAFETY DATA SHEET



Revision date: November 14, 2016

## SECTION 1 : IDENTIFICATION

**Product Identifier:** Black Stamp-Ever stamp

**Product Code(s):** Various

**Product Use:** This product is intended for use in the manufacturing of pre-inked handstamps for the purpose of marking / printing on porous substrates such as paper or paper board.

**Chemical Family:** Mixture

**Manufacturer's name and address:** Identity Group  
1480 Gould Drive  
Cookeville, TN, USA 35806

**Information Telephone #:** 931-432-4000 (Monday – Friday 8:00 am – 5:00 pm Central Standard Time)  
Chemtrec 1-800-424-9300 (Within Continental U.S.)

**24 Hr. Emergency Telephone #:** Chemtrec 1-703-527-3887 (Outside U.S.)

## SECTION 2: HAZARDS IDENTIFICATION

<b>Classification:</b>	Acute toxicity, Oral	Category 4
	Serious eye damage	Category 1
	Serious eye damage/eye irritation	Category 2A
	Acute aquatic toxicity	Category 1
	Chronic aquatic toxicity	Category 1
	Reproductive toxicity	Category 1B
	Skin irritation	Category 2
	Germ cell mutagenicity	Category 2
	Specific target organ toxicity – Repeated exposure	Category 2

**Labeling:**

**Symbols:**



**Signal Word:** Danger

**Hazard statements:**

H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H341	Suspected of causing genetic defects
H360	May damage fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

**Precautionary statements:**

P264	Wash skin thoroughly after handling.
P273	Avoid release to the environment.
P281	Wear personal protective equipment as required.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P305+351+338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
P314	Get medical advice/attention if you feel unwell.
P330	Rinse mouth

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Ingredients	CAS #	Wt. %
Tricresyl Phosphate	1330-78-5	5 – 10
Di(propylene glycol) dibenzoate	27138-31-4	5 - 10
Cocamide DEA	68603-42-9	5 - 10
Diethanolamine	111-42-2	2 – 3
Benzyl benzoate	120-51-4	2 - 3
C.I. Basic Orange 2	532-82-1	0.1 – 0.5
Bis(2-Ethylhexyl) phthalate	117-81-7	< 0.2

**SECTION 4: FIRST AID MEASURES**

**Inhalation:** Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.

**Skin contact:** Immediately flush with plenty of water, while removing contaminated clothing. Wash contaminated clothing before reuse. When symptoms persist or in all cases of doubt, seek medical advice.

**Eye contact:** Flush eyes with low pressure water for at least 15 minutes while holding eyelids open. When symptoms persist or in all cases of doubt, seek medical advice.

**Ingestion:** Seek immediate medical attention/advice. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.

**Notes for physician:** Treat symptomatically.

## SECTION 5: FIRE FIGHTING MEASURES

**Suitable extinguishing media:** Dry chemical, foam, carbon dioxide and water fog

**Fire hazards/conditions of flammability:** This material is not flammable.

**Explosion data: Sensitivity to mechanical impact / static discharge:** Not expected to be sensitive to mechanical impact or static discharge.

**.Special fire-fighting procedures/equipment:**

Firefighters should wear protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

**Hazardous combustion products:** Oxides of carbon and nitrogen, irritating fumes and smoke.

**NFPA Rating:** Health: 2      Flammability: 1      Instability: 0      Special Hazards: 0

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions:** All persons dealing with clean-up should wear the appropriate protective equipment. Do not eat, drink or smoke while participating in clean up.

**Environmental precautions:** Ensure spilled product does not enter drains, sewers, waterways or confined spaces. For large spills, dike the area to prevent spreading of appropriate.

**Spill response/cleanup:** Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Notify the appropriate authorities as required.

**Prohibited materials:** None specific

**Special spill response procedures:** In case of a transportation accident, in the United States contact CHEMTREC at 1-800424-9300 or International at 1-703-527-3887.

## SECTION 7: HANDLING AND STORAGE

**Precautions for safe handling:**

Do not ingest. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

**Conditions for safe storage:**

Store in a cool, dry, well-ventilated area. Store away from incompatibles, temperature extremes and out of direct sunlight.

**Incompatible materials:**

Strong oxidizing agents; strong reducing agents; acids

**Special packaging materials:**

Always keep in original packaging.

**SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION**

**Components with workplace control parameters**

Component	CAS No.	Value	Control Parameters	Source
Diethanolamine	111-42-4	TWA	3 ppm 15 mg/m <sup>3</sup>	USA OSHA Table Z-1 Limits for Air Contaminants – 1910.1000
		TWA	1 mg/m <sup>3</sup>	USA ACGIH Threshold Limit Values (TLV)
		TWA	3 ppm 15 mg/m <sup>3</sup>	USA NIOSH Recommended Exposure Limits
			Remarks	Liver and kidney damage Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption

Component	CAS No.	Value	Control Parameters	Source
bis(2-Ethylhexyl) phthalate	117-81-7	TWA	5 mg/m <sup>3</sup>	USA ACGIH Threshold Limit Values (TLV)
			Remarks	Lower respiratory tract irritation Confirmed animal carcinogen with unknown relevance to humans
		TWA	5 mg/m <sup>3</sup>	USA NIOSH Recommended Exposure Limits
			Remarks	Potential Occupational Carcinogen See Appendix A
		ST	10 mg/m <sup>3</sup>	USA NIOSH Recommended Exposure Limits
			Remarks	Potential Occupational Carcinogen See Appendix A
		TWA	5 mg/m <sup>3</sup>	USA OSHA Table Z-1 Limits for Air Contaminants – 1910.1000
		STEL	10 mg/m <sup>3</sup>	USA OSHA Table Z-1 Limits for Air Contaminants – 1910.1000

<b>Ventilation and engineering measures:</b>	Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits if appropriate.
<b>Respiratory protection:</b>	If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Confirmation of which type of respirator is most suitable for the intended application should be obtained from respiratory protection suppliers.
<b>Skin protection:</b>	Impervious gloves must be worn when using this product if direct contact with skin is unavoidable. Advice should be sought from glove suppliers.
<b>Eye / face protection:</b>	Good industrial hygiene practices should be used when handling this product including preventing eye contact and minimizing skin contact and inhalation.
<b>Other protective equipment:</b>	As needed to prevent eye contact and minimizing skin contact and inhalation.
<b>General hygiene considerations:</b>	Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. If direct contact occurs, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Solid
<b>Appearance:</b>	Black flexible gel saturated with ink
<b>Odor:</b>	Mild to negligible
<b>Odor Threshold:</b>	N/Av
<b>Specific Gravity:</b>	0.9
<b>pH:</b>	Not applicable
<b>Boiling point:</b>	>300 °F
<b>Melting/Freezing point:</b>	Not available
<b>Coefficient of water/oil distribution:</b>	Not available
<b>Vapor pressure (mm Hg @ 20°C / 68°F):</b>	Not available
<b>Vapor density (Air = 1):</b>	Heavier than air

<b>Evaporation rate (n-Butyl acetate = 1):</b>	Slower than n-Butyl acetate
<b>Solubility in water:</b>	Negligible
<b>Flash Point</b>	>200 °F, TCC
<b>Auto-ignition temperature</b>	Not applicable
<b>Lower flammable limit (% by vol)</b>	Not applicable
<b>Upper flammable limit (% by vol)</b>	Not applicable
<b>Flame Projection Length</b>	Not available
<b>Flashback observed</b>	Not available

## SECTION 10: STABILITY AND REACTIVITY

<b>Chemical stability:</b>	Stable under the recommended storage and handling conditions prescribed.
<b>Possibility of hazardous reactions:</b>	None are known.
<b>Conditions to avoid:</b>	Avoid heat and open flame.
<b>Materials to avoid and incompatibility:</b>	See Section 7 (Handling and Storage) for further details.

**Hazardous decomposition products:** None known; refer to hazardous combustion products in Section 5.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**Target organs:** Eyes, skin

**Routes of exposure:**

<i>Inhalation:</i>	Not likely with intended use
<i>Skin absorption:</i>	Not likely with intended use
<i>Skin &amp; Eyes:</i>	Not likely with intended use
<i>Ingestion:</i>	Not likely with intended use

**Toxicological data:** There is no available data for the mixture itself, only for the ingredients. See below for individual ingredient acute toxicity data.

Ingredient	LD <sub>50</sub>				
	Inhalation, rat	Oral, rat	Rabbit, dermal	Intraperitoneal, rat	Intravenous, rat
Tricresyl Phosphate	No data available	3,000 mg/kg	No data available	120 mg/kg	778 mg/kg
Diethanolamine	No data available	710 mg/kg	12,200 mg/kg		
Diisononyl phthalate	> 4.4 mg/l	>10,000 mg/kg	>3,160 mg/kg		
Benzyl benzoate		1,680 mg/kg rabbit	4,000 mg/kg		
Di(propylene glycol) dibenzoate	>200 mg/l	3,914 mg/kg	>2,000 mg/kg rat		

Tricresyl phosphate:	Eye damage/eye irritation:	Eyes – rabbit –Mild eye irritation – 24 hours
Diethanolamine	Skin corrosion/irritation:	Skin – rabbit – Mild skin irritation – 24 hours
	Eye damage/eye irritation:	Eyes – rabbit – Severe eye irritation – 24 hours

**Carcinogenic status**

**Carcinogenicity:** Carcinogenicity – Mouse – Oral (4-phenylazophenylene-1, 3-diamine monohydrochloride)

**IARC:** 2B – Group 2B: Possibly carcinogenic to humans (bis(2-Ethylhexyl) phthalate)  
3 – Group 3: Not classifiable as to its carcinogenicity to humans (4-phenylazophenylene-1,3-diamine monohydrochloride)

**NTP:** Reasonably anticipated to be a human carcinogen (bis(2-Ethylhexyl) phthalate)

**OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive effects:** This substance has not been evaluated as a mixture.

**Teratogenicity:** This substance has not been evaluated as a mixture.

**Germ Cell Mutagenicity:** In vitro tests showed mutagenic effects  
Hisitidine reversion (Ames)  
(4-phenylazophenylene-1,3-diamine monohydrochloride)

This substance has not been evaluated as a mixture.

**Epidemiology:** This substance has not been evaluated as a mixture.

**Conditions aggravated by overexposure:** This substance has not been evaluated as a mixture.

## SECTION 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** No data is available on the mixture itself.

Tricresyl phosphate:	Acute toxicity to fish:	LC <sub>50</sub>	Rainbow trout	0.26 mg/l	96 hr
	Toxicity to aquatic invertebrates:	EC <sub>50</sub>	Daphnia magna	2.3 mg/l	48 hr
	Acute algae toxicity:	EC <sub>50</sub>	Scenedesmus pannonicus Growth inhibition	1.3 mg/l	96 hr
Diethanolamine	Toxicity to fish:	LC <sub>50</sub>	Pimephales promelas	1,460 mg/l	96 hr
	Toxicity to aquatic invertebrates:	EC <sub>50</sub>	Daphnia magna	55 mg/l	48 hr
Diisononyl phthalate:	Toxicity to fish: semi-static test	LC <sub>50</sub>	Danio rerio	> 102 mg/l	96 hr
	Toxicity to aquatic invertebrates:	EC <sub>50</sub>	Daphnia magna	> 74 mg/l	48 hr
	Toxicity to algae: static test	EC <sub>50</sub>	Desmodesmus subspicatus	>88 mg/l	72 hr
Di(propylene glycol) dibenzoate:	Toxicity to fish:	LC <sub>50</sub>	Pimephales promelas	3.7 mg/l	96 hr
	Toxicity to aquatic invertebrates:	EC <sub>50</sub>	Daphnia magna	19.3 mg/l	48 hr
	Toxicity to algae: static test	EC <sub>50</sub>	Selenastrum capricornutum	3.6 mg/l	72 hr
	Toxicity to bacteria:	EC <sub>50</sub>	Sludge treatment	>100 mg/l	3 hr

**Mobility:** Diisononyl phthalate: Adsorbs on soil

No data is available on the mixture itself.

**Persistence:** Diisononyl phthalate: aerobic – Exposure time 28 days - 81% Readily biodegradable

No data is available on the mixture itself.

**Bioaccumulation potential:** No data is available on the mixture itself.

Tricresyl Phosphate Pimephales promelas (fathead minnow) – 32 d  
Bioconcentration Factor (BCF): 165

Diisononyl phthalate Oncorhynchus mykiss (rainbow trout)  
Bioconcentration Factor (BCF): <3  
Bioaccumulations is unlikely

**Other adverse environmental effects:** The ecological characteristics of this mixture have not been fully investigated.  
No data is available on the mixture itself, but it is expected to be very toxic to aquatic life.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Methods of disposal:** Dispose of in accordance with federal, provincial and local hazardous waste regulations.

**SECTION 14: TRANSPORT INFORMATION**

This material is not UN / IATA regulated.

This material is not classified as ICAO/IATA-DGR Dangerous Goods.

This material is not classified as hazardous per the IMDG Code.

This material is not classified as hazardous per ADR.

This material is not classified as hazardous per the U.S. Department of Transportation (DOT).

**SECTION 15: REGULATORY INFORMATION**

**Inventory Status:** All listed ingredients appear on the Toxic Substances Control Act (TSCA) Inventory, EINECS/ELINCS, AICS, and DSL.

This material is classified as hazardous under OSHA regulations (29CFR 19410.1200). See Section 2.

**SARA TITLE III:** Sec. 302, Extremely Hazardous Substances, 40 CFR 355:  
No Extremely Hazardous Substances are present in this mixture.

**SARA TITLE III:** 311/312 Acute Health Hazard, Chronic Health Hazard

**SARA TITLE III:** 313 Diethanolamine CAS 111-42-2 Bis(2-Ethylhexyl) phthalate CAS 117-81-7

**CERCLA:** No chemicals in this mixture with known CAS numbers are subject to the reporting requirements of CERCLA.

**RCRA CODE:** None

**Hazardous Air Pollutants (HAPS):** Diethanolamine  
bis(2-Ethylhexyl) phthalate

**US State "Right to Know" Laws:**

**California Proposition 65:** Vinyl chloride <0.001%  
bis(2-Ethylhexyl) phthalate <0.2%

**Other US State "Right To Know" Lists:**

The following chemicals are specifically listed by individual states:

Tricresyl phosphate	(PA, NJ)
Diethanolamine	(MA, PA, NJ)
Diisononyl phthalate	(NJ, PA)



phenylazophenylene-1,3-diamine Monohydrochloride	bis(2-Ethylhexyl) phthalate	(MA, PA, NJ) 4-
		(PA, NJ)
	Benzyl benzoate	(PA, NJ)
	Di(propylene glycol) dibenzoate	(PA, NJ)

**International Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). See Section 2.

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

bis(2-Ethylhexyl) phthalate is included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulations (EC) No. 1907/2006 (REACH).

**SECTION 16: OTHER INFORMATION**

<b>HMIS Rating:</b>	Health: * 2	Flammability: 1	Reactivity: 0			
	* Chronic hazard	0-Minimal	1- Slight	2- Moderate	3- Serious	4- Severe

<b>Legend:</b>	ACGIH	American Conference of Governmental Industrial Hygienists
	CAS	Chemical Abstract Services
	CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act of 1980
	CFR	Code of Federal Regulations
	DOT	Department of Transportation
	EPA	Environmental Protection Agency
	HMIS	Hazardous Material Identifications System
	HSDB	Hazardous Substances Data Bank
	IARC	International Agency for Research on Cancer
	Inh	Inhalation
	MSHA	Mine Safety and Health Administration
	NFPA	National Fire Protection Association
	NIOSH	National Institute of Occupational Safety and Health
	NTP	National Toxicology Program
	OSHA	Occupational Safety and Health Administration
	PEL	Permissible exposure limit
	RCRA	Resource Conservation and Recovery Act
	RTECS	Registry and Toxic Effects of Chemical Substances
	SARA	Superfund Amendments and Reauthorization Act
	STEL	Short Term Exposure Limit
	TDG	Canadian Transportation of Dangerous Goods Act and Regulations
	TLV	Threshold Limit Values
	TPQ	Threshold Planning Quantity
	TSCA	Toxic Substances Control Act
	TWA	Time Weighted Average
	WHMIS	Workplace Hazardous Materials Identification System

**References:**

1. ACGIH, Threshold Limit Values and Biological Exposure Indices
2. International Agency for Research on Cancer Monographs
3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases (Chempendium, HSDB and RTECs)
4. Material Safety Data Sheets for manufacturers
5. US EPA Title III List of Lists
6. California Proposition 65 List

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.