



FOOD PRESERVATION AND SOUS-

VACUUM PACKING MACHINES - S RANGE



Vacuum Sealer SV-310S

TABLETOP UNIT. 350 CF/H. 12" SEALING BAR.

- · 12" sealing bar
- · Sensor-controlled vacuum.

Deep-drawn chamber.

- · Improves the durability of cooked or raw food, with no loss of weight.
- · All functions are controlled by a microprocessor, which allows control of the exact desired vacuum percentage in the chamber.
- · Vacuum PLUS: allows to program an extra vacuum time once 99% vacuum has been reached.
- · Easy to program. 10-program-memory.
- · Stainless steel body.
- · Stainless steel deep-drawn chamber.
- · Cordless sealing bar.
- · Softair as standard.
- · Gas flush as standard.
- · Digital keyboard.
- · LED's indicate each cycle stage whilst performing.
- · STOP key allows the interruption of the cycle at any stage, moving on to the next
- · Pump drying program: improves the durability of the machine.

DEFAULT EQUIPMENT

Filling plate.

OPTIONAL EQUIPMENT

- · Vac-Norm external vacuum kit. · Bag cutting kit.
- · Liquid insert plate set.
- · Vacuum sealing bags.

TECHNICAL SPECIFICATIONS

Pump capacity: 350 cf/h Useful length of the sealing bar: 12 "

Total loading: 0.5 Hp

Vacuum pressure (maximum): 2 mbar

Internal dimensions

·Width: 13 " ·Depth: 14 "

·Height: 5 "

External dimensions (WxDxH)

·Width: 15 "

Depth: 18.3 "
Height: 16 "

Net weight: 75 lbs.



