H5E-DV PC 200

28.4" x 15.5" x 7.0" (72.1cm x 39.4cm x 17.8cm)



- Dispenses hot water in three portion sizes
- Front of machine volume programming
- Precise temperature (60°F-210°F) (15.5°C-98.9°C) ensures consistent, high quality results; adjustable in 1° increments
- Three programmable volume settings and one push and hold continuous dispense button
- All stainless design
- Locate hot water at preparation site to increase speed, safety and efficiency of kitchen staff
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)

Servers and airpots sold separately







Specifications

Product #: 39100.0000 Dispense: Portion Control
Water Access: Plumbed Dispense: Push Button

Finish: Stainless Faucet: Upper

Temp. Setting: 200°F (93.333°C)

Additional Features

Electrical & Capacity

			,						
Volts	Amps	Watts	Cord Attached	Plug Type	8oz (236mL) cups/hr 35°F (1.67°C)*		Phase	# Wires plus Ground	Hertz
120/208-240	16.9	4050	No	-	59	192	1	3	60
120/240	17	4050	-	N/A	117	320	-	-	-
120/208	15	3054	-	N/A	155	427	-	-	-

^{*}Temperature of water entering the system

Plumbing Requirements

	<u> </u>				
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)		
20-90	138-621	1/4" Male Flare Fitting	-		

CAD Drawings


2D	Revit	KLC
•		


Created on:


08/02/2017



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.







Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	7.0 in.	28.4 in.	15.5 in.	-	-	-	32.450 lbs	4.164 ft ³
Metric	17.8 cm	72.1 cm	39.4 cm	-	-	-	14.719 kgs	0.118 m³




Related Products & Accessories: H5E-DV PC 200(39100.0000)





Product #: 02545.0000









Serving & Holding Options: H5E-DV PC 200(39100.0000)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

