SPECIFICATIONS FOR CHAMBER VACUUM PACKAGING MACHINES



PrimaVac[™] **Chamber Vacuum Packaging Machines**



HVC406

Vacuum packaging gives commercial kitchens the flexibility they need for a wide range of tasks, from retaining food's freshness and color to giving chefs the ability to easily store, preserve, marinate, or sous vide a wide range of dishes.

Powerful JetAire[™] Pump ensures 99.9% air evacuation

10 programs automate vacuum packaging and eliminate guesswork

Adjustable soft air slows compression to help protect delicate food

Gas flush helps prolong food's shelf life & fresh color and creates a protective cushion inside pouches to help prevent crushing (HVC406 only)

Good Thinking® visit www.hamiltonbeachcommercial.com For more



13 27 (337 mm)

Chamber Dimensions 4.9" (127 mm) ب 14.96" (380 mm) 12.60" (320 mm) Max Pouch Size: 12" x 14"





Chamber Dimensions

©2017 Hamilton Beach Brands, Inc. • BB 1035-1217-COM

Hamilton Beach Commercial, 4421 Waterfront Drive, Glen Allen, VA 23060 • 800-572-3331 / Fax 800-851-3331 | www.hamiltonbeachcommercial.com

PrimaVac		254	305	406	Chamber vacuum sealing makes it easy to:
Seal Bar Length		10" 254 mm	12″ 305 mm	16″ 406 mm	
Pump Evacuation Speed	120V 230V	8 m ^{3/} h 8 m ^{3/} h	12 m ^{3/} h 10 m ^{3/} h	24 m ^{3/} h 20 m ^{3/} h	Store Preserve Marinate Sous Vide
Custom Programs 10 programs		~	~	~	Durable Stainless
Adjustable Vacuum Cycle Time 10 to 60 seconds		/	~	~	Steel Housing Removable Filler Plate Lifts out to provide room for bulky food
Adjustable Sealing Time 0 to 3 seconds		~	~	~	Removable Heat Seal Bar Clear Lid For viewing vacuuming action
Adjustable Cooling Time 3.0 to 9.9 seconds		~	~	~	
Adjustable Soft Air 2.0 to 9.9 seconds		~	~	~	
Oil Change Reminder		~	~	~	
Gas Flush				~	HVC254
Leg Extenders To meet 4" NSF requirement				~	
JetAire [™] Vacuum Sealing Pump					Control Panel
Designed for PrimaVac [™] Vacuum Packaging Machines,				JetAiro, was tan tan	Wipes clean for HVC406
our high-performance rotary vane pump is built with the					
finest materials to offer robust, long-lasting service in commercial and institutional kitchens.					
This powerful pump is able to extract 99.9% of the air from Optimizing Pump Performance					
pouches, ensuring optimum results for wet and dry contents.		^{:S.} func	eep the pum tioning at its	best,	
lt's a reliable, top-quality pump that will keep your machine		P Pacl	naVac™ Vacu kaging Machi ure an oil cha	nes	Heat Seal Bar Reset Switch Includes Maintenance Kit Protected with a silicone Conveniently located in PrimaVac™ packaging machines Protected with a silicone back point to dataphable PrimaVac™ packaging machines
and your staff continuously performing at peak efficiency.		rem	reminder and built-in oil preheating function.		pad for easy cleaningback next to detachablecome with everything you needand food safetypower cordto keep your machine functioningand food safetypower cordto keep your machine functioning



10 Custom Programs Let you set the perfect vacuuming and sealing times for different food and culinary applications

Vacuum Gauge

Indicates amount of air extracted from chamber

Function LED Lights

Indicate each step in the cycle

Function Select and Pump Select

Let users customize vacuum and sealing times, soft air time, and heat bar cooling time

Adjustable Soft Air

Gradually adds air to chamber to help protect delicate food

Gas Flush (HVC406)

This specialized function (also called MAP) flushes the pouch with inert gas and is perfect for leafy vegetables, raw meat, and baked goods. It creates a protective cushion to help keep food from being crushed, while helping to prolong food's shelf life and fresh color.



Pouch Selection

Designed to work with chamber packaging machines and featuring 3 mil. and 4 mil. thicknesses in a wide variety of sizes, our selection suits every food, from the most delicate to wet, dry, or bone-in. PrimaVac™ Pouches are made from 9 layers of BPA-free, FDAapproved films and resins. Retherm pouches offer the added benefit of allowing food to be boiled, microwaved, or frozen without compromising the contents.