



## **PLASTIC FEL CONTAINERS**

- Lasts up to 3X longer than steel containers
- Quieter than steel containers; perfect for areas where noise is a concern
- · Lighter weight than steel containers for easier maneuverability
- Will not rust; perfect for environments where corrosion is a concern



Lid equipped with 5/8" solid hinge rod and opens to  $270^{\circ}$ 

Rugged Rim® with steel rod reinforcement.

Replaceable, double-walled lift pockets distribute weight for maximum pocket strength.

Manufactured with up to 50% recycled content.

Structured, ribbed bottom wear chimes provide added durability when used without casters.

**Quick-change caster brackets** for easy repair and maintenance.

## STACKABLE DESIGN SAVES ON SPACE

Toter's plastic FELs are stackable – even when fully assembled. They can also be shipped unassembled for better truckload quantity efficiency.



					Unassembled		Assembled	
Part	Description	Size (L x D x H)	Load Rating	Weight	Containers Per Stack	53' t/l Quantity	Containers Per Stack	53' t/l Quantity
FL010	1-cubic-yard FEL*	82.3 x 41.75" x 38.0"	750 lbs/340.91 kg	193 lbs.	5	80	3	45
FL020	2-cubic-yard FEL*	82.3 x 43.5" x 52.3"	1,000 lbs/454.55 kg	229 lbs.	5	80	3	45
FL030	3-cubic-yard FEL*	82.3" x 50.6" x 65.1"	1,500 lbs/681.8 kg	281 lbs.	4	64	2	24
FL040	4-cubic-yard FEL	82.3" x 60.0" x 70.6"	2,000 lbs/909.1 kg	314 lbs.	3	30	2	20

<sup>\*</sup>Dimensions include casters.

Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	6" Standard Casters (2 Swivel, 2 Rigid)	6" Standard Casters (All Swivel)	6" HD Casters (2 Swivel, 2 Rigid or All Swivel)	8" Standard Casters (All Swivel)	Caster Mounting Pads Only
FL010	•	•	•	•	S	•	•	•	•
FL020	•	•	•	•	S	•	•	•	•
FL030	•	•	•	•	S	•	•	•	•
FL040	•	•	•	S	•	•	•	•	•

 $S = standard \bullet = optional$ 



## **ORGANICS FEL CONTAINERS**

Specifically designed for heavy, wet organic waste

Built-in drain plug for easy clean-out

Withstands exposure to organic waste without rusting

Leak-proof

Locking lid



Trap door provides safe, easy access.

**Additional cross** support ribs

prevent lid from sagging.

Reinforced lid with two extra lbs. of plastic holds shape and seals

tightly to the container.

Manual lock bar with hasp lock makes lid fit tighter and eliminates need for rubber straps.


Steel rod-reinforced rim and steel frame

base prevent bowing.

					<u>Unassembled</u>		<u>Assembled</u>	
Part	Description	Size (L x D x H)	Load Rating	Weight	Containers Per Stack	53' t/l Quantity	Containers Per Stack	53' t/l Quantity
FL51C	1-cubic-yard FEL*	82.3 x 41.75" x 38.0"	750 lbs/340.91 kg	193 lbs.	5	80	3	45
FL52C	2-cubic-yard Organics FEL	82.3" x 43.5" x 52.4"	2,000 lbs/909.1 kg	322 lbs.	4	64	3	45
FL53A	3-cubic-yard Organics FEL	82.3" x 50.6" x 64.1"	3,000 lbs/1363.6 kg	396 lbs.	3	39	1	15
FL53B	3-cubic-yard Organics FEL	80.3" x 50.6" x 64.1"	3,000 lbs/1363.6 kg	477 lbs.	3	39	1	15
FL53C	3-cubic-yard Organics FEL	82.3" x 50.6" x 67.9"	3,000 lbs/1363.6 kg	409 lbs.	3	39	1	15
FL53D	3-cubic-yard Organics FEL	80.3" x 50.6" x 67.9"	3,000 lbs/1363.6 kg	487 lbs.	3	39	1	15
	Post-Mold Drain Lock	Bar No XHD E	,	ody With Steel	XHD Body With Ste	eel Plastic Lift S	teel Lift Org	anic Single

Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	XHD Body With Steel Frame and Steel Runners		XHD Body With Steel Frame, 6" HD Casters, 2 Swivel Braking, 2 Rigid	Plastic Lift Pockets	Steel Lift Pockets	Organic Single Lid With Trap Door
FL51C	•	•	•	•	S	•	•	•	•	_
FL52C	•	•	•	_	_	S	_	S	_	_
FL53A	•	•	•	S	S	_	_	S	_	•
FL53B	•	•	•	S	S	_	_	_	S	•
FL53C	•	•	•	_	_	•	S	S	_	•
FL53D	•	•	•	_	_	•	S	_	S	•

STANDARD COLORS



















GREEN (#940) BROWN (#270)



## Toter

**Built for Extremes**™

PO Box 5338 841 Meacham Road Statesville, NC 28677 844-556-6677 ProProducts@Toter.com www.toter.com